Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



THE NEWS LETTE



OF THE NOVA BUREAU OF PUBLIC ROA

VOL. 2, NO. 12


OCTOBER, 1927

A. C. ROSE, EDITOR

CONTENTS

HIGHWAY POLICIES - MR. MACDONALD'S PAPER DELIVERED
At The Denver Meeting Of The American Association -
OF STATE HIGHWAY OFFICIALS 1
STATUS OF CURRENT FEDERAL-AID ROAD WORK, AS OF
SEPTEMBER 30, 1927 16
SNOW REMOVAL REPORT FOR THE WINTER OF 1926 - 1927





HIGHWAY POLICIES

A PAPER DELIVERED BY MR. THOS. H. MACDONALD, CHIEF OF THE BUREAU OF PUBLIC ROADS, BEFORE THE

THIRTEENTH ANNUAL MEETING OF THE AMERICAN ASSOCIATION OF STATE HIGHWAY OFFICIALS, HELD AT DENVER, Colo.,

FROM

OCTOBER 3 TO 6, 1927,

THE HIGHWAY SITUATION IS CONSTANTLY CHANGING IN DETAIL AND IN ITS BROAD TRENDS. AS THE OPPORTUNITY HAS COME EACH YEAR TO ME TO ADDRESS THIS CONFERENCE OF THE AMERICAN ASSOCI-ATION OF STATE HIGHWAY OFFICIALS, IT HAS BEEN APPROACHED WITH THE THOUGHT OF PLACING SEFORE THE HIGHWAY EXECUTIVES OF THE NATION A DEFINITE, FORWARD LOOKING, BUT NOT RADICAL EXPRESSION, UPON SOME OF THE MATTERS WHICH APPEAR AT THE MOMENT TO BE OF MAJOR IMPORTANCE BOTH FOR THE PRESENT, AND FOR THE FUTURE, WHICH, NOTWITHSTANDING CHANGING CONDITIONS, WILL BE SO MATERIALLY IN-FLUENCED BY WHAT WE DO NOW. EVEN MORE IT HAS BEEN APPROACHED WITH THE HOPE OF CORRECTLY INTERPRETING THE BUREAU OF PUBLIC ROADS TO YOU THAT THE PRESENT CORDIAL RELATIONSHIPS MAY BE GUARDED AGAINST MISUNDERSTANDINGS. PERHAPS THIS IS TOO MEAGERLY PHRASED TO INDICATE THE FULL SIGNIFICANCE TO HIGHWAY PROGRESS OF HARMONIOUS AND CONCENTRATED EFFORT BY THE STATE AND FEDERAL HIGH-WAY FORCES. HIGHWAYS ARE CHARACTERIZED BY, AND INSEPARABLE FROM, THEIR COMMUNITY INTERESTS. WHETHER CONSIDERED FROM THE STATE, NATIONAL, INTERNATIONAL OR LOCAL VIEWPOINT, WHETHER FROM THAT OF THE ROAD BUILDER OR THE ROAD USER, THE COMMON INTERESTS MUST FIRST BE SERVED, SINCE, TOGETHER, THEY ARE THE MOST IMPORTANT. TO ME, THIS "COMMUNITY OF INTERESTS" ASPECT OF HIGHWAYS CONTAINS A CONSTANTLY GROWING APPEAL AS NOT ONLY THEIR DIRECT, BUT EVEN MORE, THEIR INDIRECT, INFLUENCES BECOME MORE AND MORE APPARENT. THROUGH THESE INFLUENCES WE ENJOY THE REAL OPPORTUNITY TO LIFT THE DEAD LEVEL OF THE DAY'S WORK TOWARD THE HIGHER OBJECTIVE OF PROGRESS IN GOVERNMENT AND THUS CONTRIBUTE, EACH ONE AS HE IS ASLE, TO THE COMMON GOOD. THIS GENERAL THOUGHT MAY BE MORE CLEARLY EXPRESSED BY REFERENCE TO MORE SPECIFIC MATTERS.

THE PROPOSED 1930 INTERNATIONAL CONFERENCE.

THIS YEAR THERE HAS BEEN A NOTABLE INCREASE OF OFFICIALS
AND STUDENTS FROM FOREIGN COUNTRIES TO STUDY AND TO EXAMINE CRITICALLY OUR HIGHWAYS AND HIGHWAY POLICIES. THEY ARE NOT THE FIRST TO
COME FOR LIKE PURPOSES FROM OTHER LANDS. PRIOR YEARS HAVE BROUGHT

-. +l -

INDIVIDUALS, BUT NOT UNTIL THE LAST YEAR OR TWO HAVE WE BEEN ABLE TO VISUALIZE BY THEIR NUMBER, THEIR FAR DISTANT JOURNEY-INGS AND THEIR INTIMATE DESCRIPTIONS OF HOME CONDITIONS, THAT THIS PROBLEM OF HIGHWAYS AND HIGHWAY TRANSPORT, WITH WHICH WE ARE CONFRONTED, IS AN ACUTE WORLD PROBLEM AND THAT THE UNITED STATES HAS BECOME THE PROPONENT OF METHODS AND POLICIES OF NEW CONCEPT AND, MORE IMPORTANT, A LEADER IN THEIR EFFECTIVE USE. MITHIN THE TWELVE-MONTH PERIOD, GOVERNMENTAL OFFICIALS, ENGI-NEERS, BUSINESSMEN AND STUDENTS FROM CHINA, JAPAN, AUSTRALIA, INDIA, MEXICO, NORWAY, SWEDEN, CHILE, ARGENTINE, BRAZIL, COLOMBIA, ECUADOR, VENEZUELA, BOLIVIA AND PERU HAVE SPENT FROM A FEW DAYS TO AN EXTENDED PERIOD INSPECTING AND GATHERING DATA FOR THE DIRECT PURPOSE OF TRANSPLANTING TO THEIR OWN COUNTRIES SUCH OF OUR HIGHWAY EXPERIENCES AS THEY FIND APPLICABLE. THE WIDE VARIATIONS TO BE FOUND HERE IN CLIMATE, TOPOGRAPHY, TRAFFIC, POPULATION DENSITY, SOILS AND MATERIALS OFFER SOMEWHERE CONCITIONS CLOSELY PARALLEL AND PROBLEMS QUITE TYPICAL OF THEIR O'N COUNTRIES. SOME HAVE BEEN CHIEFLY INTERESTED IN TECHNICAL DETAIL. OTHERS HAVE SOUGHT GOVERNMENTAL AND ADMINISTRATIVE POLICIES. THE ONE OR THE OTHER, THERE HAS BEEN UNANIMITY OF AGREEMENT IN THEIR EXPRESSED APPRECIATION OF THE COURTESIE? AND INFORMATION FURNISHED BY THE STATE AND FEDERAL HIGHWAY OFFICIALS.

THIS OUTSIDE VIEWPOINT OF WHAT THE UNITED STATES IS DOING WITH HER HIGHWAYS AND HIGHWAY, TRANSPORT FOUND A MOST ENCOURAGING AND COMPLIMENTARY EXPRESSION IN JUNE OF THIS YEAR WHEN THE EXECUTIVE COMMITTEE OF THE INTERNATIONAL ASSOCIATION OF ROAD CONGRESSES VOTED TO HOLD, IN 1930, THE NEXT INTERNATIONAL ASSEMBLY IN THIS COUNTRY IF AN OFFICIAL INVITATION IS FORTHCOMING. SUCH AN INVITATION CAN ONLY BE ISSUED BY THE UNITED STATES CONGRESS. THIS OPPORTUNITY TO BRING TOGETHER IN THE UNITED STATES THE FOREMOST HIGHWAY OFFICIALS AND BEST QUALIFIED ENGINEERS OF ALL THE NATIONS OF THE WORLD WILL NOT COME AGAIN FOR MANY YEARS. THE FAR-REACHING NATIONAL AND INTERNATIONAL INFLUENCES OF, AND THROUGH, SUCH AN EVENT ARE NOT EASILY EXAGGERATED AND MUST NOT BE LOST TO US. THIS ASSOCIATION OF STATE HIGHWAY OFFICIALS WOULD BE A RANKING HOST TO THESE WORLD REPRESENTATIVE GUESIS.


THIS COUNTRY DOES HAVE MUCH THAT MAY BE OF THE GREATEST VALUE TO OTHER NATIONS IN THE DEVELOPMENT OF HIGHWAY TRANSPORT WITH ITS MANY, AS YET, NEW PROBLEMS. A VERY WRONG IMPRESSION EXISTS THAT IN THE UNITED STATES, HIGHWAYS ARE NOT ADVANCED TO STANDARDS OF SERVICE COMMENSURATE WITH THOSE OF OTHER COUNTRIES.



STATISTICS ARE NOT COMPARABLE. PERHAPS THE REAL PICTURE MAY BE VISIONED, BUT NOT WELL, BY SKETCHING IN A DETAIL OR TWO.

THE LARGEST CONCENTRATION OF POPULATION ABROAD IS IN THE LONDON METROPOLITAN AREA. WHEN THE RIGHT OF WAY WAS SECURED ABOUT 1920 FOR THE NEW RADIAL TRUNK HOADS, THE COST OF GOOD AGRICULTURAL LAND WITHIN SIX OR SEVEN MILES OF THE VERY HEART OF THE CITY WAS LESS THAN THE ACRE PRICE OF FARM LAND IN THE MISSISSIPPI VALLEY WELL AWAY FROM EVEN A LARGE TOWN. COMPARE THIS FACT WITH THE PER ACRE PRICE OF SUBURBAN ACREAGE IN ANY METROPOLITAN DISTRICT IN THIS COUNTRY TO REALIZE ONLY A LITTLE OF THE MORE EXTENDED USE HERE OF HIGHWAY TRANSPORT IN JUST THIS ONE FIELD. OR READ WHAT COL. BRESSY, CHIEF ENGINEER OF THE MINISTRY OF TRANSPORT HAS WRITTEN, 1923, OF HIGHWAY CONDITIONS AS THEY HAVE EXISTED AND TO A LARGE EXTENT STILL EXIST IN THE LONDON DISTRICT IN WHICH THERE IS SUCH VERY HEAVY HIGHWAY TRAFFIC.

IN SOME OTHER COUNTRY THEN? ING. PURICELLY, OF MILAN, BUILT THE AUTOSTRADE, THE HIGHWAY EXCLUSIVELY FOR MOTOR TRAF-FIC, FROM MILAN TO THE ITALIAN LAKES, IN ALL A LENGTH OF ABOUT FIFTY MILES. THE DESIGN INCORPORATES THE BEST OF MOD-ERN STANDARDS. ITS ACTUAL ACCOMPLISHMENT IS AN EVEN GREATER ACHIEVEMENT. HIS AUTHORITY AND EXPERIENCE IN THIS FIELD ARE UNQUESTIONED. WHAT IS HIS TESTIMONY AS TO THE ADEQUACY OF THE ROADS OF ITALY - THESE HIGHWAYS WHOSE FOREBEARS WERE THE ROMAN ROADS OF ANTIQUITY? HE AND HIS ASSOCIATES, IN COOPERA-TION WITH THE MINISTRY OF PUBLIC WORKS AND THE ITALIAN TOUR-ING CLUB, HAVE UNDERTAKEN TO PREPARE A COMPREHENSIVE SCHEME FOR THE GENERAL OVERHAUL OF THE FIRST CLASS ROADS OF THE HIS PRELIMINARY ESTIMATES BASED ON AS YET INCOM-PLETE DATA INDICATE A NEEDED EXPENDITURE OF ROUGHLY 14,000,000 DOLLARS FOR ABOUT 13,000 MILES TO BRING THESE MAIN ROADS TO A CONDITION ADEQUATE FOR THE TRAFFIC. IN THE AREA OF THE HEAVI-EST TRAFFIC, HIS ESTIMATE OF UNIT COSTS RANGES FROM ABOUT 12,800 to 23,000 dollars per mile. The number of passenger cars AND MOTORCYCLES REGISTERED IN 1926 IS 197,970. To the Highway GROUP THESE FACTS NEED NO INTERPRETATION. THEY ILLUMINATE TALY'S ROAD PROBLEM AS WELL AS THEIR CONDITION.



HIGHWAY POLICIES DEVELOPED IN THE UNITED STATES

SURELY THIS NATION DOES HAVE MUCH OF VALUABLE EXPER-IENCE IN HIGHWAY MATTERS TO SHARE WITH OTHER COUNTRIES AND WE SHOULD. AS A NATION WE HAVE PROFITED MUCH FROM THE EXPERIENCES OF THE OLDER NATIONS. HOW MUCH OF OUR PRESENT CULTURAL, SOCIAL, RELÍGIOUS, EDUCATIONAL FABRIC HAS BEEN WOVEN FROM THREADS SPUN OUT OF THE EXPERIENCES, SACRIFICES AND ADVANCEMENTS OF THOSE WHO AS INDIVIDUALS OR AS NATIONS BUILT PAINSTAKINGLY AND SLOWLY THROUGH THE CENTURIES THE ENDURING AND WORTHWHILE CONCEPTS WE CALL CIVILIZATION. LANGUAGE, RELIGION, ARCHITECTURE, ART, MUSIC, LITERATURE, MEDICINE, LAWS, WHERE IN THE WHOLE LIST CAN WE FIND ONE IN WHICH WE HAVE IN THE PAST SURPASSED ALL OTHERS IN THE ELE-MENTS WE BELIEVE TO BE ENDURING. BUT THE UNITED STATES HAS MACEHER GREAT CONTRIBUTIONS TO CIVILIZATION. IN FORM OF GOVERNMENT? IN THE POLITICAL FIELD, YES. WE BELIEVE AND HOPE IT IS SO. BUT THE TIME ELEMENT IS TO BE CONSIDERED. OTHER FORMS OF GOVERNMENT ARE OLDER. OUR NATION IS YET YOUNG. AT LEAST THE POINT IS DEBATABLE BY THOSE WHO DEMAND MORE CENTURIES OF SUCCESSFUL DEMONSTRATION.

IN WHAT FIELD, THEN? THE ONLY ONE WHICH WILL BE EASILY CONCEDED IS THAT OF ENGINEERING ACHIEVEMENT. NOT ENGINEERING IN FINE DETAIL. OTHER COUNTRIES PRODUCE FINE ENGINEERS, HIGHLY TRAINED. THE MEASURE OF THE ACHIEVEMENT IS NOT THAT OF THE PERSONAL EQUATION. RATHER IT IS THE ENGINEERING ACHIEVEMENT OF ORGANIZATION AND MASS PRODUCTION. AVAILABILITY IS MADE POSSIBLE BY THE COMBINATION OF CHEAP TRANSPORTATION, MECHANICAL POWER AND EQUIPMENT, AND GREAT ENGINEERING VISION OF CONSUMPTION. THIS IS THE GREAT CONTRIBUTION THE UNITED STATES HAS MADE TO CIVILIZATION, MEASTURED BY STANDARDS OF LIVING.

THIS GENERAL IDEA IS BOTH PROVED AND ILLUSTRATED BY THE SERVICES OF TRANSPORTATION, OF COMMUNICATION AND OF SANITATION. EACH HAS LARGE AND INTRICATE REQUIREMENTS OF FAR-SPREAD PLANNING AND OPERATING ORGAN; ZATIONS, OF FINANCIAL SUPPORT, OF RESEARCH OF CONSTANTLY CHANGING DEVICES AND IMPROVED PROCESSES. YET WITH ALL THESE AND MANY OTHERS, THESE TYPICAL SERVICES UPON WHICH DEPEND IN SO LARGE A DEGREE THE EVERY-DAY-LIVING STANDARDS OF OUR PEOPLE, ARE MADE AVAILABLE THROUGHOUT THE NATION AND FOR A RELATIVELY LOW COST TO THE INDIVIDUAL.



WHAT IS COMMONPLACE AND POSSIBLE OF ENJOYMENT TO THOSE WITH VERY MODERATE INCOMES HERE ARE FREQUENTLY LUXURIES OR IMPOSSIBLE TO SECURE ELSEWHERE. SO, BY THIS REASONING, WE REACH SOME FUNDAMENTAL CONCEPTIONS:


First, there is no nation today which has highways adequate to its present, much less its future rapidly developing highway transport needs,

SECOND, THAT THE SAME PRINCIPLES OF ENGINEERING ORGANIZATION AND QUANTITY PRODUCTION WHICH HAVE BEEN SO SUCCESSFULLY DEMONSTRATED IN THE UNITED STATES MUST BE APPLIED UNIVERSALLY TO PRODUCE ADEQUATE MILEAGES OF SERVICEABLE HIGHWAYS AT THE LOWEST COST,

THIRD, THAT THE MOST IMPORTANT PROGRESS HAS BEEN MADE IN PROCESSES AND METHODS WHICH HAVE MADE POSSIBLE INCREASED PRODUCTION.

FOR EXAMPLE, CONSIDER THE STAGE CONSTRUCTION POLICY. IN HIGHWAY BUILDING THE TIME ELEMENT IS IMPORTANT IN THE FIRST STAGES OF IMPROVEMENT, WHERE, AS IN MANY STATES, THERE HAS NECESSARILY BEEN MUCH RELOCATION AND REALIGNMENT. DELAYS ARE INEVITABLE WITH LOSS OF TIME AND THERE HAS BEEN FREQUENT CRITICISM OF THE PROGRESS MADE TOWARD AN ADEQUATE MAJOR-HIGH-WAY SYSTEM IN THOSE STATES WHICH HAVE SHOWN A LARGE PERCENTAGE OF FIRST-STAGE CONSTRUCTION ONLY, YET THE REAL PROGRESS HAS PROBABLY BEEN AS GREAT AS IN THOSE STATES WHERE LESS ATTENTION WAS GIVEN TO THE FUNDAMENTALS OF LOCATION, DRAINAGE STRUCTURES AND GRADING. AS FUNDS ARE NOW BECOMING AVAILABLE IN LARGER 30 AMOUNTS IN A NUMBER OF THESE STATES, THEIR PROGRESS IN SURFAC-ING WILL BE RAPID. IT IS TRUE THAT THE SERVICE FOR THE PAST SEVERAL YEARS HAS NOT BEEN FIRST CLASS BY ANY MEANS, BUT THE POLICY OF LAYING THE FOUNDATION WHEN FUNDS FOR THE COMPLETED IMPROVEMENT WERE NOT AVAILABLE, HAS JUSTIFIED ITSELF A THOUSAND-FOLD.

THERE ARE OTHER OUTSTANDING EXAMPLES OF THIS PRINCIPLE OF QUANTITY PRODUCTION AT THE LOWEST CONSISTENT COST. STATE HIGHWAY MAINTENANCE, THE USE OF POWER EQUIPMENT FOR GRADING, THE USE OF MECHANICAL EQUIPMENT THROUGHOUT FOR BUILDING CONCRETE ROADS, THE FINE CRUSHED ROCK SURFACES OF THE WEST, THE BITUMINOUS PROCESSING OF THESE AND THE RECLAIMING OF THE OLD MACADAMS OF THE EAST, ARE ALL OF THIS ORDER. MEASURED BY THE



IMPORTANT STANDARDS OF THE TIME GAINED IN MAKING THE ROADS AVAILABLE, THEIR COST AND THE QUALITY OF THEIR SERVICE, IT IS EVIDENT THAT THESE NEWER PRINCIPLES OF ADMINISTRATION DEFINE THE ONLY POSSIBLE APPROACH TO A MEETING OF THE DE-MAND FOR HIGHWAY SERVICE NOT ONLY AT HOME BUT ABROAD AS WELL. SO IN THE DEVELOPMENT OF SOUND PRINCIPLES OF ENGIN-EERING AND FINANCIAL ADMINISTRATION THIS COUNTRY HAS MUCH TO CONTRIBUTE AND SHOULD PLACE GREATER EMPHASIS ON THEIR FUTURE DEVELO-MENT, MAKING ENGINEERING DETAIL AND TECHNIQUE THE SERVANT, AND NOT THE MASTER OF THESE PRINCIPLES. IF IT BECOMES THE GOOD FORTUNE OF THIS NATION TO HAVE AS ITS GUESTS IN 1930, THE LEADING ENGINEERS AND OFFICIALS OF ALL THE OTHER COUNTRIES OF THE WORLD, WE, SPEAKING PARTICULARLY FOR THE STATE AND FEDERAL ADMINISTRATIVE OFFICIALS, MUST BE IN A POSITION TO JUSTIFY THE PRINCIPLES OF ADMINISTRATION UPON WHICH WE ARE RELYING, BY THE RESULTS PRODUCEE. A SACRIFICE OF SOUND TECHNIQUE OR QUALITY OF PRODUCT IS NOT A NECESSARY COMPANION OF QUANTITY PRODUCTION. THIS IT WILL BE POSSIBLE TO DEMONSTRATE THROUGH A CRITICAL EXAMINATION OF THE RESULTS AND A GENEROUS COOPERATION TO REMEDY DEFECTS.

PROGRESS IN FEDERAL-AID HIGHWAY CONSTRUCTION.

FOR THE FISCAL YEAR ENDING JUNE 30 UNDER THE FEDERALAID PROGRAM, 9,683 MILES OF PROJECTS WERE COMPLETED. EIGHT
THOUSAND, THREE HUNDRED AND SEVEN MILES WERE NEW CONSTRUCTION,
AND 1,376 MILES ADDITIONAL CONSTRUCTION OF PROJECTS ON WHICH
PRELIMINARY WORK HAD ALREADY BEEN DONE, THAT IS, THAT WERE
ADDITIONAL STAGES OF CONSTRUCTION. WHILE 2,537 MILES OF
GRADED AND DRAINED ROADS WERE BUILT AS ORIGINAL CONSTRUCTION
DURING THE YEAR, THE MILEAGE IN THIS STAGE INCREASED BY ONLY
1,145 MILES. THIS WAS THE RESULT OF THE FURTHER IMPROVEMENT
OF PREVIOUSLY GRADED ROADS AS STAGE CONSTRUCTION. THIS IS A
DECIDED ADVANCE WHICH INDICATES THE TURNING TOWARD THE MORE
ADEQUATE IMPROVEMENT.

THREE THOUSAND, TWO HUNDRED AND NINETY-NINE MILES OF GRAVEL WERE BUILT, A DECREASE OF 862 MILES BELOW THE PREVIOUS YEAR, AND 2,971 MILES OF PAVEMENTS OF BITUMINOUS AND CEMENT CONCRETE, A DECREASE OF 518 MILES BELOW THE PRECEDING YEAR.

IN THESE FIGURES THE EVIDENCE IS CLEAR THAT THE FEDERAL HIGHWAY FUNDS ACCUMULATED DURING THE WAR AND IMMEDI-ATELY FOLLOWING HAVE BEEN LARGELY USED AND WE ARE APPROACHING THE ANNUAL PRODUCTION THAT WILL BE POSSIBLE WITH THE CURRENT AUTHORIZATION.

 THE TOTAL OF FEDERAL-AID PROJECTS COMPLETED, UNDER CONSTRUCTION, OR APPROVED FOR CONSTRUCTION AS OF JULY 1, WAS 76,708 MILES, DIVIDED AS FOLLOWS:

1:	STAGE CONSTRUCTION, GRADED AND DRAINED	15,500	MILES
2.	SAND CLAY AND GRAVEL	34,474	ti
3.	WATERBOUND MACADAM	1,431	п
4.	BITUMINOUS MACADAM	4,307	H
5.	CEMENT CONCRETE	18,009	Ħ
6.	BRICK	832	ti .
7.	BITUMINOUS CONCRETE AND ASPHALT	1,923	11
8.	BRIDGES	232	11

STAGE CONSTRUCTION.

THERE HAS BEEN IN THE MINDS OF MANY, CHIEFLY THOSE NOT DIRECTLY CONNECTED WITH HIGHWAY IMPROVEMENT, THE QUESTION AS TO THE USE OF FEDERAL FUNDS FOR THE LOWER TYPES OF CONSTRUCTION, PARTICULARLY THE FIRST STAGE OF GRADED AND DRAINED EARTH ROADS.
THIS YEAR WE HAVE THE ANSWER TO THESE CRITICS. A MATERIAL ADVANCE HAS BEEN MADE IN THE APPLICATION OF THE SURFACING OR SECOND STAGE OF IMPROVEMENT TO A CONSIDERABLE MILEAGE, AND THIS WILL CONTINUE AT AN ACCELERATED RATE. THE POLICY IS ONE OF THE MOST VALUABLE TENETS OF ADMINISTRATION THAT CAN BE RECOMMENDED TO OTHER COUNTRIES IN THE EARLY STAGES OF THEIR HIGH AY DEVELOPMENT.

AS A MATTER OF FACT, TO A LARGE EXTENT ALL HIGHWAY CON-STRUCTION, MUST BE STAGE CONSTRUCTION, AND THERE CAN BE NO JUST CRITICISM OF WHATEVER IS UNDERTAKEN IF IT BE UNDERTAKEN INTEL-LIGENTLY WITH A WELL DEFINED CONCEPTION OF THE FUTURE DEVELOP-MENT AND IF THE EXECUTION OF THE IDEA IS EFFICIENT.



NATIONAL HIGHWAYS AND METROPOLITAN AREA ROADS.

AS LITTLE AS FIVE YEARS AGO IT WAS THOUGHT THAT THE NATIONAL HIGHWAY PROBLEM LAY IN THE NECESSITY FOR THE BUILDING OF TRANSCONTINENTAL ROUTES. OUR KNOWLEDGE OF TRAFFIC FLOW AND HIGHWAY UTILIZATION HAS CHANGED MATERIALLY IN THAT TIME, AND TODAY TRANSCONTINENTAL TRAFFIC IS FAR BETTER PROVIDED FOR THAN IS THE WEEKLY PEAK TRAFFIC, PARTICULARLY IN METROPOLITAN AREAS. THIS IS NOT BOASTING ABOUT TRANSCONTINENTAL ROUTES. A GREAT DEAL REMAINS TO BE DONE, AND NOW THAT WE HAVE AGREED UPON A SYSTEM OF INTERSTATE ROUTES WE NEED TO DEMONSTRATE THAT, THE PRINCIPLE OF COOPERATION BETWEEN THE STATES AND THE NATION WHEN ASSISTED BY FEDERAL-AID FUNDS, CAN EXPEDITE THE IMPROVE-MENT UP TO AN ADEQUATE UTILITY STANDARD OF EACH MAJOR NATIONAL TRAFFIC ROUTE FROM EAST TO WEST AND FROM NORTH TO SOUTH. WEAK LINKS IN THE EAST-TO-WEST TRANSCONTINENTAL HIGHWAYS LIE LARGELY BETWEEN THE 90th and 117th MERIDIANS OR, ROUGHLY, BETWEEN THE MISSISSIPPI RIVER AND THE EASTERN BOUNDARIES OF CALIFORNIA, OREGON AND WASHINGTON. NORTH TO SOUTH THERE IS A POTENTIAL TRAFFIC BETWEEN THE GREAT LAKES AND THE GULF COAST WHICH IS NOW HELD BACK'BY WEAK LINKS ON THE U. S. SYSTEM, LARGELY SOUTH OF THE OHIO RIVER.

TRANSCONTINENTAL TRAFFIC HAS BEEN THOUGHT ABOUT FROM THE EARLIEST DAYS IN TERMS OF EAST-TO-WEST TRAFFIC. THERE IS A POTENTIAL NORTH-TO-SOUTH TRAFFIC THAT WILL DEVELOP QUICKLY INTO NOW UNGUESSED DIMENSIONS FOLLOWING THE COMPLETION OF ADE-QUATE ROUTES. WHY NOT AGREE BETWEEN OURSELVES UPON A POLICY OF USING AT LEAST 50 PER CENT OF THE FEDERAL-AID ALLOTMENTS IN THE CLOSING UP OF THE GAPS IN THESE MAIN THOROUGHFARES, AND REALIZE WITHIN THE NEXT TWO OR THREE YEARS A CONSUMMATION OF THE REPRESENTATIONS THAT HAVE BEEN CONTINUALLY MADE BY BOTH THE BUREAU OF PUBLIC ROADS AND THE STATES THAT IT IS POSSIBLE UNDER THE PRESENT PLAN TO SECURE AN ADEQUATE NATIONAL SYSTEM OF HIGHWAYS MORE QUICKLY THAN IN ANY OTHER WAY.

AS HIGHWAY OFFICIALS WE DO NOT WANT TO CONFESS AT THE CLOSE OF ANOTHER YEAR THAT WE DO NOT HAVE AS YET A COMPLETELY IMPROVED HIGHWAY ROUTE ACROSS THE COUNTRY. BY A RECOGNITION ON THE PART OF ONLY A FEW STATES THAT THEY DO HAVE AN OBLIGATION TO THEIR SISTER STATES AND TO THE NATIONAL PLAN OF HIGHWAYS, SUCH CONFESSION WILL NOT BE NECESSARY. POLITICAL DIFFERENCES OUGHT TO BE ADJUSTED IN A FEW STATES SO THE HIGHWAY SITUATION WOULD NOT BE IN CONTINUAL JEOPARDY FROM IMPROPER ADMINISTRATION. HOW EACH STATE ADMINISTERS ITS OWN FUNDS AND



INTERNAL AFFAIRS IS VERY MUCH ITS OWN AFFAIR, BUT HOW ANY STATE ADMINISTERS THE FEDERAL HIGHWAY FUNDS IS QUITE A DIFF FERENT MATTER. THE BUREAU IS NOW PREPARED, FAILING TO OBTAIN COOPERATION FOR THE COMPLETION OF THESE IMPORTANT THOREOUGHFARES, TO INSIST UPON A RECOGNITION OF THE REQUIREMENTS OF THE LAW WHICH PROVIDES FOR EXPEDITING THE COMPLETION OF THESE ROUTES. THE ATTORNEY GENERAL OF THE UNITED STATES HAS RULED WITH SPECIAL REFERENCE TO THE RECONSTRUCTION OF THE INTERSTATE BRIDGE AT MEMPHIS THAT IN ORDER TO EXPEDITE THE COMPLETION OF INTERSTATE ROUTES, THE SECRETARY OF AGRICULTURE HAS FULL AUTHORITY TO WITHHOLD HIS APPROVAL OF OTHER PROJECTS.

IN CONNECTION WITH THE INTERPRETATION AND ENFORCEMENT OF THE FEDERAL HIGHWAY LEGISLATION, THE THOUGHT IS CONTINUALLY BEFORE THE BUREAU OF THE COMMUNITY OF INTERESTS BETWEEN THE STATES WHICH ARE TIED TOGETHER BY THEIR HIGHWAYS. THUS, IN INSISTING UPON THE COMPLETION OF GAPS, THE BUREAU IS ENDEAVORING TO BRING ABOUT IN FULL MEASURE A COMPLIANCE WITH THE COMMUNITY INTERESTS. IT REQUIRES NO BOLDNESS TO ASSERT THAT A TWISTED PERSPECTIVE OF STATES! RIGHTS EXISTS. THE RIGHTS IN THIS INSTANCE ARE ALL WITH THE STATES WHICH HAVE MET THE NEEDS OF THE PUBLIC SERVICE AND ALL AGAINST THE TARDY AND RELUCTANT STATES. THERE CAN BE NO RIGHTS WHICH ARE WRONGS TO THE MAJORITY OF THE WHOLE COMMUNITY.


THE GREATEST PROBLEM IN THE HIGHWAY FIELD IS THE NUMBER AND CHARACTER OF THE ROADS REQUIRED IN THE METROPOLITAN AREAS. BOTH THE STATES AND THE FEDERAL BUREAU ARE LESS ABLE TO CONTRIBUTE IN A MAJOR WAY TO THE SOLUTION OF THIS PROBLEM THAN ELSEWHERE. HERE THE ROUTES OF THE STATE SYSTEM, OR THE FEDERAL HIGHWAY SYSTEM, CONSTITUTE THE MAIN TRAFFIC ARTERIES, BUT WITHIN A 50-MILE RADIUS THERE ARE MANY OTHER ROUTES WHICH MAY FOR LOCAL TRAFFIC BE ALMOST OF EQUAL IMPORTANCE.

WHAT MAY BE CALLED THE CITY GATEWAY PROBLEM, FALLS UPON THE SHOULDERS PARTLY OF THE STATE, BUT LARGELY UPON THE COUNTIES AND SMALLER SUBDIVISIONS. IT IS A PROBLEM LARGELY RESULTING FROM MULTIPLE AND INTERFERING JURISDICTIONS. HIGH-WAY TRAFFIC IN QUANTITY HAS VERY SIMILAR CHARACTERISTICS TO THE FLOW OF LIQUIDS. IT HAS BEEN POSSIBLE IN THE LABORATORY TO DETERMINE THE LAWS GOVERNING THE FLOW OF LIQUIDS. THE GREAT DECREASE IN THE FLOW OF LIQUIDS CAUSED BY OBSTRUCTIONS OR ABRUPT CHANGE OF DIRECTION IS KNOWN AND DETERMINABLE BY MATHEMATICAL COMPUTATION. WE WILL DETERMINE THESE RULES FOR HIGHWAY TRAFFIC, EVEN THOUGH IT IS A LONG AND TEDIOUS PROCESS. BUT THE TECHNICAL KNOWLEDGE OF WHATED TO CO IS FAR IN ADVANCE

OF THE PROBABILITY OF ITS BEING DONE, DUE TO THE MULTIPLICITY OF CONFLICTING AND OVERLAPPING JURISDICTIONS. IN COOK COUNTY, IN THE CHICAGO METROPOLITAN AREA, THE TRANSPORT SURVEY QUICKLY DEVELOPED THE FACT THAT WITHIN A RADIUS OF 30 MILES THERE WERE 89 CIVIL JURISDICTIONS CONTROLLING SECTIONS OF THE TRAFFIC ROUTES AND, WITH THE EXCEPTION OF THE STATE AND COUNTY, THESE DIFFERENT UNITS WERE LARGELY WORKING INDEPENDENTLY OR NOT AT ALL. AS THE SURVEY PROCEEDED, IT BECAME APPARENT THAT THE GREATEST OBSTRUCTION TO TRAFFIC EXISTED IN THIS MULTIPLICATION OF OVERLAPPING JURISDICTIONS.

THERE ARE TWO METHODS THAT MAY BE USED FOR HANDLING THE HIGHWAY PROBLEM IN THESE METROPOLITAN AREAS: FIRST, THE PLAN OF SECURING LEGISLATION WHICH SETS UP A BOARD WITH SUPER AUTHORITY OVER ALL ESTABLISHED AUTHORITIES; AND SECOND, THE PLAN OF SECURING VOLUNTARY COOPERATION BETWEEN THE EXISTING AUTHORITIES. IT IS NOT POSSIBLE TO DISCUSS THE RELATIVE MERITS AND DEMERITS OF THESE TWO METHODS, SINCE UP TO THE PRESENT TIME NEITHER PLAN HAS BEEN IN OPERATION LONG ENOUGH TO DETERMINE WHETHER IT WILL SUCCEED OR FAIL. IT IS CERTAIN, HOWEVER, THAT THE FIRST PLAN WILL ALWAYS MEET WITH HOSTILITY WHICH MAY SECONE SO VIGOROUS AS TO DELAY ACTION FOR A LONG PERIOD. THE SECONE PLAN CONTAINS THE VALUABLE ELEMENT OF SEING AT ONCE AVAILABLE AND, AT WORST, IT CAN ONLY PARTIALLY FAIL TO SUCCEED.

IT IS MY JUDGMENT THAT THE PLAN OF COOPERATION CAN BE MADE TO WORK. ON THE REQUEST OF THE BOARD OF COUNTY COMMISSIONERS OF CUYAHOGA COUNTY, OHIO, THE BUREAU HAS UNDER-TAKEN IN COOPERATION WITH THAT BOARD, A SURVEY IN THE METRO-POLITAN AREA OF CLEVELAND TO INCLUDE A RACIUS OF UPWARDS OF 50 MILES - A SIMILAR STUDY TO THAT IN COOK COUNTY. HOWEVER, IN THIS INSTANCE, SEFORE AGREEING TO PARTICIPATE IN THE SURVEY WHICH HAS FOR ITS PURPOSE THE FORMATION OF A PLAN OF HIGHWAYS FOR THE WHOLE METROPOLITAN DISTRICT, ALL OF THE COM-MUNITIES INTERESTED WERE INVITED TO ATTEND A CONFERENCE AT WHICH THE PURPOSES WERE EXPLAINED AND A REQUEST MADE THAT THE VARIOUS JURISDICTIONS JOIN TO FORMULATE A PLAN AND TO CARRY INTO EFFECT THEIR PARTS OF THE PLAN WHEN IT WAS MADE. BEFORE THE SURVEY STARTED, ALL OF THE JURISCICTIONS, WHETHER CITY, COUNTY OR TOWNSHIP, HAD SIGNED A DEFINITE AGREEMENT TO MAKE THE PLAN TO BE AGREED UPON, EFFECTIVE. NOT MUCH FAITH IS NECESSARY TO BELIEVE THAT THIS COCUMENT WILL BECOME A HISTORICAL ONE, SECAUSE THE AGREEMENT ON THE PART OF THE VARIOUS GOVERNING GODIES WITHIN THE METROPOLITAN AREAS, FIRST, TO PLAN, AND SECOND, TO BUILD ACCORDING TO PLAN,



WILL PROBABLY BECOME THE MOST EFFECTIVE METHOD OF HANDLING THE HIGHWAY PROBLEM IN THE METROPOLITAN AREAS. IT MAY MEAN, OF COURSE, THE TRANSFER OF JURISDICTION OR THE BROADENING OR RELINQUISHING OF JURISDICTION, IN ORDER TO ACCOMPLISH THE PURPOSE. WHEN IT COMES TO THE FINANCING, UNDOUBTEDLY RELIEF MUST COME TO THE SMALLER UNITS FROM THE LARGER ONES. THE PLAN OF FINANCE IS EQUALLY IMPORTANT WITH THE PHYSICAL PLAN. THE BIG POINT IS THAT THE OFFICIALS POSSESSING THE LEGAL AUTHORITY TO ACT HAVE AGREED TO WORK TOGETHER. IN SIMILAR MOVEMENTS, THE STATE AND PERHAPS, TO A CERTAIN EXTENT, THE FEDERAL BUREAU OF ROADS, CAN BE OF CONSIDERABLE HELP AND THIS IS A PART OF THE RESPONSIBILITY WHICH THEY MUST UNDERTAKE.

BALANCING HIGHWAY BUDGETS WITH HIGHWAY NEEDS.

IT HAS BECOME MORE AND MORE APPARENT, PARTICULARLY AS THE DISCUSSION OF ANNUAL BUDGETS HAS BECOME COMMON, THAT THERE ARE TWO KINDS OF BUDGETING; THE BUDGET THAT IS PREPARED WITH REFERENCE TO THE EXPECTED INCOME, AND THE BUDGET THAT IS PRE-PARED WITH REFERENCE TO THE PHYSICAL CONDITION AND NECESSITIES OF THE HIGHWAYS. THEY MIGHT BE TERMED, THE FISCAL BUDGET AND THE PHYSICAL BUDGET. THE FIRST TYPE OF BUDGET IS OPEN TO A GREAT DEAL OF MISMANAGEMENT NO MATTER HOW CORRECT THE FISCAL INFORMATION. THE SECOND TYPE OF BUDGET IS THE ONLY PLAN THAT EVENTUALLY WILL WORK FOR ECONOMY. IT IS APPARENT THAT A GREAT MANY STATE HIGHWAY DEPARTMENTS DO NOT HAVE THE INFORMATION IN SUFFICIENTLY ACCURATE FORM, RELATIVE TO THE PHYSICAL CONDITION AND NECESSITIES OF THE HIGHWAYS, TO PREPARE THE KIND OF A BUDGET THAT WILL EVENTUALLY LEAD TO A SYSTEM OF ROADS UNIFORM WITH THE NECESSITIES OF TRAFFIC. THIS LACK OF INFORMATION IS EVIDENT IN BUDGETS IMPROPERLY BALANCED BETWEEN RECONSTRUCTION AND NEW CONSTRUCTION ON EXTENSIONS. IT WILL ALWAYS BE A TEMPTA-TION TO ADD TO THE MILEAGE OF STATE ROUTES. DURING THE YEAR 1926, 13,000 MILES OF ROAD WERE ADDED TO THE STATE SYSTEMS, AND IT IS THIS TENDENCY THAT DEFINITELY POINTED OUT TO THE BUREAU THE NECESSITY FOR REQUESTING THAT THE FIRST STAGE-CONSTRUCTION PROJECTS BE LIFTED TO A HIGHER DEGREE OF IMPROVEMENT AT A RATE TO WIPE OUT THE ROADS OF THIS CLASS WITHIN A VERY FEW YEARS. THE POLICY OF APPROVING STAGE-CONSTRUCTION PROJECTS WILL BE LIMITED IN THE FUTURE TO A DEFINITE PERIOD, AND MORE FOR THE PURPOSE OF HANDLING THE FIRST STAGE OF CONSTRUCTION EFFICIEN: LY THAN FOR THE PURPOSE OF DEFERRING THE GREATER EXPENDITURE NECESSARY TO PROVIDE A UTILITY SURFACE.



MOTOR TRUCK AND BUS REGULATION.

ONE OF THE MOST PECULIAR AND UNINTELLIGENT REACTIONS TO A PROGRESSIVE POLICY OF WEIGHT REGULATION WAS MANIFEST IN THE CONSIDERATION ACCORDED LEGISLATION PROPOSED LAST YEAR TO PER-MIT THE USE OF 6-WHEEL TRUCKS. ONLY TWO STATES ADOPTED LEGIS-LATION PROVIDING FOR SUCH USE, AND IT WAS DEFINITELY TURNED DOWN IN OTHER STATES, IN ONE OR TWO CASES ON THE RECOMMENDATION OF THE HIGHWAY OFFICIALS. ALL OF THE AVAILABLE INFORMATION INDICATES THAT THE WAY TO APPROACH THE HANDLING OF THE HEAVIER LOADS ON THE HIGHWAYS IS BY MULTIPLYING THE WHEELS AND LIMITING THE CONCENTRATION OF LOAD PER WHEEL. THIS PRINCIPLE WILL UN-DOUBTEDLY BE ACCEPTED EVENTUALLY, BUT IT IS A PRINCIPLE THAT SHOULD FIND VIGOROUS SUPPORT FROM THE HIGHWAY OFFICIALS WHERE SO FAR IT HAS FAILED TO RECEIVE JUSTIFIABLE SUPPORT. THE QUESTION OF WHAT WHEEL CONCENTRATION SHOULD BE PERMITTED IS, OF COURSE, DEBATABLE, BUT THERE IS NO ROOM FOR QUESTIONING THE PRINCIPLE OF INCREASE OF WHEELS AND DECREASE OF WHEEL CONCENTRATION. BY THIS IS MEANT, NOT SO MUCH THE MATTER OF WHEEL CONCENTRATION LEGALLY PERMITTED, AS THE ACTUAL CONCEN-TRATION WHICH EXISTS. WHETHER NATIONAL LEGISLATION TO REGU-LATE THE MOTOR BUS AND TRUCK WILL BE SERIOUSLY URGED BEFORE THE NEXT SESSION OF CONGRESS IS NOT NOW INDICATED. BOTH OF THESE SERVICES HAVE VERY QUICKLY FOUND THEIR RESPECTIVE FIELDS OF USEFULNESS BECAUSE THEY HAVE BEEN LEFT LARGELY FREE FROM ARTIFICIAL RESTRICTION. THIS HAS RESULTED IN A MORE COMPLETE OPERATION OF ECONOMIC REGULATION WHICH IS THE TO-BE-DESIRED STATUS. IT NOW SEEMS WELL PROVEN THAT THE PHYSICAL REGULATION IS CERTAINLY A FUNCTION OF THE STATES WHICH MUST MAINTAIN THE HIGHWAYS, AND THE INTRASTATE SERVICE, TO THE EXTENT LEGISLATIVE REGULATION IS NECESSARY TO PROTECT THE PUBLIC, IS LIKEWISE A STATE FUNCTION. THIS LEAVES ONLY THE INTERSTATE SERVICE OF COMMON CARRIERS FOR POSSIBLE NATIONAL LEGISLATION. BUT THIS INTERSTATE SERVICE IS IN FACT SO SMALL A PART OF THE WHOLE AND SO INTIMATELY CONNECTED WITH INTRASTATE OPERATION THAT IT SEEMS MOST DESIRABLE TO PERMIT THIS ALSO TO BE ADMINISTERED BY THE STATES, WITH UNIFORMITY ASSURED. THE CONSTITUTIONAL METHOD TO ACCOMPLISH THIS IS BELIEVED TO BE AVAILABLE.

HIGHWAY SAFETY.


THE PROBLEM OF HIGHWAY SAFETY IS ONE THAT CAN ONLY BE MET BY COOPERATION. THERE IS MUCH OVER-WORKING OF THE WORD, AND A GREATER DISREGARD OF ITS MEANING. THE LACK OF CORRELATION BETWEEN THE TRAFFIC OFFICERS AND THOSE RESPONSIBLE FOR STREET AND HIGHWAY IMPROVEMENTS, PARTICULARLY WITHIN THE CITY AREAS IS DISTRESSING IN THE EXTENT TO WHICH IT EXISTS. ALSO



THE GROWTH IN THE INSTALLATION OF AUTOMATIC STOP LIGHTS IS A TRIBUTE TO SALESMANSHIP RATHER THAN TO ENGINEERING INTELLIGENCE. There are limited areas in cities where traffic is equal and constant, where there is a large amount of pedestian as well as vehicular traffic, and where the Stop-and-go control is necessary and, so far, the only developed means of meeting the situation. It is certain that a large amount of fundamental research and investigation, and probably trial plans, must be undertaken in order to prevent the loss of perhaps the most valuable element which the motor vehicle has brought; that is, the saving of time to the individual.

ENGINEERING PERSONNEL

THE DEMAND UPON THE HIGHWAY FIELD FOR ENGINEERS WHO HAVE HAD TRAINING AND EXPERIENCE CONTINUES TO POINT TO THE NECESSITY FOR THE SPECIAL TRAINING OF YOUNG ENGINEERS WHO HAVE ATTENDED THE TECHNICAL SCHOOLS. IT IS ALSO EVIDENT THE UNITED STATES IS TO BECOME THE MECCA OF A GREAT MANY FOREIGN STUDENTS SEEKING EXPERIENCE AND KNOWLEDGE IN THIS FIELD. RECENT COMMUNICATIONS IN WHICH THE POSSIBILITY OF THE USE OF A FEW FOREIGN STUDENTS WAS BROUGHT TO THE ATTENTION OF THE STATE HIGHWAY DEPARTMENTS HAVE ELICITED A WONDERFUL RESPONSE. IT WOULD AFFORD ME GREAT PLEASURE TO READ BEFORE THIS ASSOCIATION THE REPLIES RECEIVED FROM THE STATE HIGHWAY DEPARTMENTS UPON THIS SUBJECT. OPINION, BASED ON OBSERVATION IN MANY FOREIGN LANDS, THAT THROUGH THE INTERCHANGE OF OPINIONS AND EXPERIENCE AND THE PERSONAL CONTACTS BETWEEN THOSE CONNECTED WITH THE HIGHWAYS IN THIS COUNTRY AND THOSE IN OTHER LANDS, THAT A SOUND COM-MUNITY OF INTEREST CAN BE BUILT THAT WILL HELP INTERPRET THE UNITED STATES TO OTHERS AND HELP US TO UNDERSTAND THEM. A FEW DAYS AGO, ONE OF THE FOREIGN ATTACHES OF THE DEPARTMENT OF COMMERCE MADE THE AMAZING STATEMENT IN MY OFFICE, THAT DUE TO THE CONDITIONS OF TRANSPORTATION IN TURKEY IT WAS ACTUALLY POSSIBLE TO LAY DOWN FLOUR MILLED IN THE UNITED STATES, FROM WHEAT GROWN IN MINNESOTA AND OUR NORTHWEST, AT SAMSUN ON THE BLACK SEA, 6000 OR 7000 MILES AWAY, AT A LESS COST THAN FLOUR MILLED FROM WHEAT GROWN IN THE INTERIOR OF TURKEY, PERHAPS 250 MILES AWAY. COUNTRIES WHICH HAVE LONG GONE WITHOUT ANY-THING LIKE ADEQUATE TRANSPORTATION BECAUSE OF THEIR INABILITY TO FINANCE RAILROAD CONSTRUCTION, CAN FIND IN MOTOR TRANSPOR-TATION EITHER THE FINAL SOLUTION OF THEIR TRANSPORTATION PROBLEM OR A DEFINITE STEP TOWARD THE POSSIBLE COMBINATION OF



HIGHWAY AND RAILWAY TRANSPORT THAT WILL ADEQUATELY SERVE THEIR NEEDS. THE EXPRESSION OF THE INTEREST OF THE HIGH-WAY DEPARTMENTS IS ONE OF THE MOST CONVINCING EVIDENCES THAT I HAVE RECEIVED OF THE BROADMINDED OUTLOOK AND PUBLIC SPIRIT OF THE MEN WHO ARE AT THE HEAD OF THE HIGHWAY WORK THROUGHOUT THE UNITED STATES. THERE IS A SINCERE FEELING OF APPRECIATION THROUGHOUT THE VARIOUS FEDERAL AGENCIES, SUCH AS THE DEPARTMENT OF STATE, THE DEPARTMENT OF COMMERCE, THE PAN AMERICAN UNION AND THE DEPARTMENT OF AGRICULTURE, FOR THE COURTESIES, HELPFULNESS AND ATTENTION THAT HAVE SEEN EXTENDED TO THOSE FROM OTHER COUNTRIES SO GENEROUSLY BY THE STATE HIGHWAY DEPARTMENTS WHENEVER THEY HAVE HAD THE OPPOR-TUNITY. THE FACT THAT THERE WILL APPARENTLY BE CONSTANT DEMANDS IN THE FUTURE, AND UNDOUBTEDLY GROWING DEMANDS OF THE SAME CHARACTER, LEADS ME TO EXPRESS THE HOPE THAT WHEN SUCH REQUESTS ARE MADE THEY WILL BE MET IN THE SAME SPIRIT AS IN THE PAST. THEY ARE ONLY MADE BY THIS BUREAU, AND ANY OTHER AGENCY OF THE GOVERNMENT, IN THE BELIEF THAT, WHENEVER IT IS POSSIBLE TO GIVE THE OPPORTUNITY TO THOSE FROM THE OUTSIDE TO UNDERSTAND AND SEE THE UNITED STATES AND TO OSTAIN INFORMATION OF VALUE, IT IS A REAL ADVANTAGE TO THE UNITED STATES.

HIGHWAY RESEARCH.

THE PROBLEMS OF DESIGN AND CONSTRUCTION ARE PERHAPS BECOMING MORE SIMPLIFIED AND THEIR PROPER HANDLING BETTER UNDERSTOOD BY THE RESEASED AND INVESTIGATION WHICH GO FOR-WARD CONSTANTLY. IT IS DOUBTFUL IF THERE IS A SUFFICIENTLY RAPID ASSIMILATION OF THE RESULTS OF RESEARCH IN ACTUAL DESIGN AND CONSTRUCTION. AT LEAST IT SEEMS WORTHWHILE TO CALL TO THE ATTENTION OF THE HIGHWAY OFFICIALS THE DESIR-ABILITY OF CHANGING OR MODIFYING PRACTICES ALONG THE LINES WHICH APPEAR TO BE SOUND TECHNICALLY AND SUPPORTED BY REAL EVIDENCE. THE PROBLEM OF THE SECONDARY HIGHWAY IS ACUTE AND MUST BE MET IN A GREATER DEGREE THAN NOW. SO THE FIELD AHEAD FOR THIS ORGANIZATION AND ITS MEMBERS IS GROWING LARGER RATHER THAN SMALLER. UNQUESTIONABLY THE STATE HIGH-WAY ORGANIZATIONS COULD NOW BE OF THE GREATEST BENEFIT BY EXERCISING AT LEAST GENERAL ADMINISTRATIVE AND ENGINEERING DIRECTION OVER THE MORE IMPORTANT LOCAL ROADS, BUT WE MUST FIND THROUGH RESEARCH AND EXPERIMENT MORE EFFECTIVE METHODS AND PROCESSES THAN HAVE YET BEEN DEVELOPED. IN THE NECESSITY FOR THE IMPROVEMENT OF THE SECONDARY ROADS EXISTS AN ALMOST '

11 1 7 1-70 1 -1 -1 : 10 15 LIMITLESS FIELD FOR EXTENDING THE USEFULNESS OF THE STATE HIGHWAY DEPARTMENTS.

IN CLOSING MAY I EXPRESS THE THOUGHT THAT IN MY CONTACTS WITH THE STATE HIGHWAY OFFICIALS I AM CONSTANTLY IMPRESSED WITH THE FINE ATTITUDE TAKEN TOWARD THIS GREAT PUBLIC WORK AND THE MAGNITUDE OF THE YEAR-AFTER-YEAR ACCOMPLISHMENT.



UNITED STATES DEPARTMENT OF AGRICULTURE BUREAU OF PUFLIC ROADS

STATUS OF CUSPENT FEDERAL A1D ROAD WORK


FOR THE FIRCAL YEAR ENDING JUNE 30, 1928

A8 OF SEPTEMBER 30, 1927.

8.P.R.-F.A.-A-1 M-SEPTEMBER 1927 - A-1

	STATE8		ALABAWA	ARIZONA	CAL I FORNIA	COLDRADO	CONNECT ICUT	CELABARE	GEORGIA	CHYCI	ILL INO IS	INDIANA	KAN5A9	KENTUCKY	LOUISIANA	MAINE MADMIAND	MASSACHUSETTS	MICHIGAN	MINNESOTA	MI\$51551PP?	MONTANA	NEBRASKA	NEVADA	NEW HANDRING	NEW NEX 100	NEW YORK	NORTH CAROLINA	OHIO	OKLAHOWA	PENNSYI VANIA	RHODE I GLAND	SOUTH CAROLINA	TENNESSEE	TEXAS	UTAH	VIRGINIA	WASHINGTON	WEST VIRGINIA	MYOMING	
OR INEER	AOE	STAGE			İ			2	21.7	59.2	2.3	0.0	20 00	23.5				6.5		0,0	0	147.5	10.4	Ī		8.6	16,8		4.4	0		53.4	7.5	83.5	4.5			7.1	10.6	T
RECOMMENDED FOR	MILEADE	ORIGINAL	18.1	0	23.3	20.5	11.0	15.4	24.2	48.4	163.9	63.3	123.6	31.9	13.1	16.3	10.0	81.5	15.8	59.7	34.8	91.4	4.6	4.0	,	34.7	31.2	96.5	119.1	13.6	6.9	58.0	80.6	194.9	54.4	3 12	41.8	34.7	20.0	
P. S. & E. RECOMMENDED FOR APPROVAL 8Y DISTRICT ENGINEER		FEDERAL A10	219,388.44	17,264.44	413 492.80	176,170.37	210,181.79	200,837.72	665 568 25	565,004.77	2,486,193.30	771,988.22	826 287 68	534,289.92	657.537.56	158,764.28	246.428.34	2.044,761.23	49,000.00	515,730.75	259.345.10	705,075.18	163,195.95	149 120 00	39,897.91	575,107.50	489,592.80	1,988,930.00	1,016,870.85	861 296 14	117,808.67	247,137.70	926,332.99	2,183,978.45	659,163.73	146,854.04	463,000.00	284, 795, 60	214,831.19	
FORCE	AGE	STAGE	1.9	4.4	0.4	9.1			79.4	23.6		908 0	A.0.0	57.7	7.5			12.7	115.7	14.7	7.5	532.7	26.2				1.61	4.2	20.7	35.8		30.7	26.2	197.3		4.0		39.7	108.5	
AGREEMENTS NOW IN FORCE	MILEAGE	ORIGINAL	391.9	229 4	126.9	262.7	63.4	15.7	250.0	175.8	428.4	487.6	737.5	418.8	92.6	67.6	90.9	370.4	389.7	323.9	401.9	1,275.3	193.7	942.0	234.7	704.6	75.5	313.2	269.5	161 7	31.8	139.6	178.4	402.6	168.4	115.9	73.0	306.0	29.7	
AGREDMEN		FEDERAL AID	3,158,447.69	1,088,686.44	3 048 811.27	2,965,729.13	1,553,781.05	164,033.46	3,241,414.63	1,575,809.90	5,788,455.46	7,676,318.41	5 426 743.29	4,366,842.34	1,470,080.34	954,866.23	1.510.485.69	5,234,690.85	2,115,898.90	2.867.124.77	3.087.543.47	6,118,242.61	1,480,883.28	1 401 102 55	2,460,215.15	11,333,383.95	1,356,515.52	4,172,938.90	1,605,202.32	5 785 918 72	491,393.74	2,169,585.73	2,783,880.34	5,547,902.64	1,767,940.26	2, 125, 832.35	1,375,600.00	4,077,290,18	1,665,512.17	
	96	STADE							18 4		_	0 1	2								v ←	224.4		1	_				17.9	_				45.5		_		0.9		-
AND PAID SCAL YEAR	MILEADE	ORIDINAL	0.2	1.4.1	29.00	6.0	13,6	14.6	32.7	24.2		13.3	35.0	50.8	37.9	17.3	17	0.0		45.3	25.3	198.8	27.4	0 0	18.3	37.5	28.6	16.9	9.0	0 0		39.3	24.6	124.6	55.9	. 60	5.3	94.4	24.2	
COMPLETED AND PAID OURING FISCAL YEAR		FEDERAL A10	40,723.98	192,919.61	420 SDA 26	48,486.64	203,730,00	120,820.22	1 113 809 87	87,998.40		191,269.03	299,016.86	201,333.62	442,316.21	146,303.87	93.825.00	37,302.76		402,479.38	152.882.59	1,007,922.26	82,449.77	077 170 00	100,334.00	545,424,84	349.898.15	251,965.07	379,754.99	282,383.50		688,413.55	632,743.67	1,555 087.85	298,136,86	117,551.38	415,736.32	835,073.17	143,801.81	
AMOUNT	DURING FIRES VERS	100	339,248.45	163,741.13	550 642 79	256,313.64	78,337,30	120,320.22	74, 783.97	452,710.33	259,928.20	927,173.57	805 870.49	649,932,09	266.649.99	98,809.68	93.825.00	1.052,039.63	865,251.18	581,076.00	468.513.97	843,500.42	186,207.83	277 170 00	502,753.90	1,382,023.07	445,380.39	652,960.66	348,404.72	1 067 090.75	32,175.00	401.657.06	474,450.90	963,583.54	240,544.05	548,940.79	143,063.52	1,101,406.31	133,030.98	
7 ION	9.6	STADE							5 5	39.7	2.3	9.0	D.	1.5			Ī	6.5		11.9		157.9				8.6	140.0	2	15.2	0		2.5		67.6						
CONSTRUC	MILEAGE	ORIOINAL	0.2	7	2.0	0.0	13.8	15.4	18.0	36.3	86.7	43.1	20.00	16.6	13.1	9.61	7.1	43.2	13.6	23.4	193.2	58.2	4.6	2.0	2	117.3	26.3	84 1	96.6	43.8	7.6	68.1	41.9	100.2	0./2	9.1	48.3	2. E. E.	39.6	
APPROVED FOR CONSTRUCTION		FEDERAL ATO	19,644.62	15,264.44	18 941.01	20,057.34	251,353.49	176,900.72	188 028 26	397,052.97	1,268,103.41	373,205.37	181 057.44	170,542.71	604,042.54	195,499.27	18,675,00	880,175.00	6,000.00	284,767.52	1.059.313.87	490,350.80	72,268.56	20 095 00	2000	1,817,612.50	363,253.75	1,761,215.00	818,709.28	951.388.84	128,638.67	9,000.00	466,756.41	1,216,404.43	442,036.60	150,738.21	508,000.00	24,000.00	126,582.59	
	0.6	87 AGE	1.9	4.4	9	9.1		r.	0	43.1		92C A	14.5	79.7	7.5			12.7	116.7	15.0	7.5	622.4	36.6				26.2	4.2	6	3.0		81.6	33.7	213.3	3.4	4.0		39.7	1.9.1	
NSTRUCTION	MILEADE	OR 10 1 NAL	409.8	67.8	150.1	280.3	9.09	16.7	286.5	187.9	605.6	507.8	762.0	434.1	92.6	64.0	105.7	408.7	392.0	360.2	243.5	1,298.6	193.7	104 7	234.7	622.0	80.4	325.6	301.9	370.7	31.1	257.5	217.1	497.3	186.8	113.1	66.5	336.2	190.4	
. UNDER CONSTRUCTION		FEDERAL ATO	3,369,691.51	1,088,686.44	3 463 363.06	3,121,842.16	1,522,699.35	188,470.46	3,507,767.54	1,743,761.70	7,016,545.35	8,075,101.26	6 871 973.53	4,730,589.55	1,523,675.46	918,131.24	1.738.239.63	6,399,277.08	2,158,898.90	3,09R,087.90	2.277.574.70	6,332,966.99	1,671.910.67	1 201 195 65	2,500,112.06	10,090,878.95	1,482,854.57	4,410,653.90	1,803,363.89	5 695 826 02	480,563.74	2,407,723.43	3,243,456.92	6,515,476.56	2,005,007.34	2,121,948.18	1,330,600.00	2,929,734.05	1,753,760.77	
BALANCE OF	AVAILABLE FOR	РРОЈЕСТВ	2,852,514.96	2,928,204.24	3.677.315.86	2,577,646.95	384,572.62	_	339 508 56	_		11 042 02	250 062 10		621,789.68		1.921.158.22		_	-	***	_	428,027.32		1,621,103.88				-	1 427 152.72	425,512.53	224,386,22	1,000,942.45	4,249.773.71	173,364.21	16,846.98	776,419.73			
	8TATE8		ALABAWA	ARIZONA	CALIFORNIA	COLOR 400	CONNECT ICUT.	DELAWARE	DEDROIA	ПОМО	ILL INDIG	INDIANA	KANSAS	KENTUCKY	COUIBIANA	MA INE	MASSACHUSETTE	MICHIGAN	MINNESOTA	MI651981PP1	HONTANA	NEBRASKA	NEVADA	NEW HANGSHIRE	NEW MEXICO	NEW YORK	NORTH CAROLINA	OHIO	OKLAHOWA	DREGON PENNSYLVAKIA	RHODE 16LAND	SOUTH CAROLINA	TENNESSEE	TEXAB	UTAH	VIRGINIA	WASHINGTON	WEST VIRGINIA	WYOMING HAWAI1	

* INCLUDES PROJECTS REPORTSO COMPLETE (FINAL VOUCHERS NOT YET PAID) TOTALINO - FEDERAL AID \$44,022,355.63 - MILEADE, ORIGINAL 4,214.9 - STIGE 744.2



SNOW REMOVAL REPORT FOR THE WINTER OF 1926-27

CONTRIBUTED BY H. G. MCKELVEY OF THE DIVISION OF CONSTRUCTION

COMPILED FROM DATA COLLECTED FROM THE 36 STATE HIGHWAY DEPARTMENTS WITHIN THE SNOW AREA

SNOW-REMOVAL WORK WAS PRACTICED MORE 'EFFECTIVELY AND EXTEN-SIVELY BY THE STATE HIGHWAY DEPARTMENTS DURING THE WINTER OF 1926-27 THAN IN ANY PRECEDING YEAR. AS MAY BE SEEN FROM TABLE | THE MILEAGE CLEARED ON THE STATE HIGHWAY SYSTEMS IN THE 36 STATES IN THE HEAVY-SNOWFALL AREA (OVER 20 INCHES ANNUALLY) INCREASED BY 50 PER CENT EACH YEAR UNTIL THE WINTER OF 1926-27. AT THAT TIME THE INCREASE DROPPED TO 15 PER CENT INDICATING THAT THE DEPARTMENTS HAD EXTENDED THEIR OPERATIONS TO PRACTICALLY ALL THE PRINCIPAL ROADS ON THE SYSTEMS AND THAT HENCEFORTH THE ADDED MILEAGE WOULD BE ONLY THE NORMAL INCREASE DUE TO THE GRADUAL DEVELOPMENT OF TRAFFIC. DURING THE COMING SEASON THE MILEAGE THAT WILL BE INCLUDED IN THE PROGRAM (ESTIMATED AT 117, 109 MILES) IS ONLY 10 PER CENT ABOVE THE MILEAGE OF LAST WINTER'S PROGRAM. A FURTHER STUDY OF TABLE | SHOWS THAT DURING THE FOUR-YEAR PERIOD BEGINNING WITH 1922-23 THE STATE HIGH-WAY DEPARTMENTS HAVE QUADRUPLED THE MILEAGE OF THEIR SNOW-REMOVAL OPERATIONS AND THE TOTAL EXPENDITURES DURING THE SAME INTERVAL HAVE INCREASED SIXFOLD. THE AVERAGE COST OF SNOW REMOVAL PER MILE OF ROAD HAS INCREASED 55 PER CENT AS A RESULT OF THE PUBLIC DEMAND FOR MORE COMPLETE CLEARING, AND UNDESTRUCTED WINTER TRAVEL. THE SMALL INCREASE IN THE AVERAGE COST PER MILE FOR 1926-27 AS COMPARED WITH 1925-26 - \$43.50 AGAINST \$40.38 - PROBABLY INDICATES THE AP-PROACH TOWARD A SATISFACTORY STANDARD OF SERVICE.

THAT THESE CONCLUSIONS DRAWN FROM TABLE I ARE CORRECT MAY BE CONFIRMED BY AN INSPECTION OF TABLE 2. IN THE WINTER OF 1922-23 THERE WERE ONLY 184 TRUCK PLOWS AND 221 TRACTOR PLOWS IN OPERATION IN THE ENTIRE 36 SNOW STATES. IN THE NEXT THREE-YEAR PERIOD THE TOTAL TRUCK AND TRACTOR PLOWS INCREASED EIGHTFOLD; THE INCREASE DURING THE NEXT YEAR THEN DROPPED TO 16 PER CENT. THIS WOULD INDICATE THAT EQUIPMENT TO TAKE CARE OF THE LARGE MILEAGE OF ROADS WAS PURCHASED AS RAPIDLY AS FUNDS WERE AVAILABLE UNTIL SUCH A TIME AS THE MAIN TRAVELED ROADS OF THE STATE SYSTEMS WERE BROUGHT UNDER EFFECTIVE CONTROL BY THE SNOW-REMOVAL FORCES. IT IS INTERESTING TO NOTE HERE THAT WHILE IN 1922-23 THE RELATION BETWEEN TRUCK AND

. r ... E . Line . The William Process 10 1.1

Table 1.- The increase in the snow-removal mileages and expenditures
in the 36 heavy-snowfall States over & four-year period

Beginning with the winter of 1922-23.

	:	TOTAL	:		:		:	•	:	
	:	ROADS	:	INCREASE	:	TOTAL	:	INCREASE	:	AVERAGE
WINTER	:	WITH	:	OVER	:	COST	•	OVER	:	COST
	:	WONS	:	PRECEDING	:	OF SNOW	:	PRECEDING	:	PER
	:	REMOVED	:	YEAR	:_	REMOVAL	:	YEAR	:	MILE
	:	MILES	:	PER CENT	:		:	PER CENT	:	
	:		:		:		:		:	
1922-23	:	27,096	:		:\$	762,159	:		:	\$28.12
	:		:		:		:		:	
1923-24	:	41,302	:	52	1	946,262	:	24	:	22.91
	:		:		:		:		:	
1924-25	:	62,167	:	50	:	1,826,813	:	93	:	29:39
	:		:		:		:		:	
1925-26	İ	93,006	:	50	i	3,757,663	:	106	:	40.38
	:		:		:		:		:	
1926-27	:	106,721	:	15	: 4	4,641,037	:	24	:	43.50
	:		i		:		:		:	
1927-28	ì	117,109*	:	10	:		:		:	
	:	,,,,	1		:		:		:	
	-		<u> </u>		<u> </u>		<u> </u>			

^{*}EST IMATED

TRACTOR PLOWS WAS IN THE RATIO OF 5:6, THAT FOUR YEARS LATER IN 1925-26 THAT RATIO HAD BEEN REVERSED TO 5:2. THIS IS IN KEEPING WITH THE GENERAL DEMAND FOR FAST-MOVING UNITS, CONTINUOUSLY OPERATED DURING SNOWFALLS, TO KEEP THE ROADS OPEN TO TRAFFIC AT ALL TIMES. THE EXISTING POLICY IS A DECIDED ADVANCE OVER THE ORIGINAL PROCEDURE WHEN IT WAS CONSIDERED NECESSARY ONLY TO BEGIN SNOW REMOVAL AFTER THE STORM HAD PASSED, THEREBY CAUSING A CONSIDERABLE LOSS TO TRANSPORTATION AGENCIES TEMPORARILY SLOCKADED WHILE THE SNOW WAS FALLING.

1. : : : .

TABLE 2.- THE INCREASE IN THE AMOUNT OF EQUIPMENT USED IN SNOW-REMOVAL OPERATIONS IN THE 36 HEAVY-SNOWFALL STATES OVER A FOUR-YEAR PERIOD BEGINNING WITH THE WINTER OF 1922-23

		:	:		:	I	TOTAL	:		
		: T	RUCK	INCREASE	:TRACTOR	R: INCREAS	E: TRUCK	: INCREASE	MISCELL	ANEOUS
WIN	NTER			OVER	:	: OVER	: AND	OVER		
		P	Lows:	PRECED-	: PLOWS	PRECED-	TRACTOR	:PRECED-	TRUCKS	TRACTORS
				ING YEAR	:	: ING YEA	R: PLOWS	ING YEAR		
		:		PER CENT	:	:PER CEN	τ:	:PER CENT		
		t			:	:	:	4		
198	22-23	•	184		: 221		: 405	:		
	_				•	•		•		
198	23-24		.227	567	287	: 30	: 1,514	274		
		. '	,	. 551			. 2,011			•
198	24-25		456	19	: 446	• 55	: 1,902	26		
100	- 1	. '	, -00 ,	10	• ++0	. 55	. 1,00=	. 20		
192	25-26	. 2	E46	75	803	: 80	. 7 7/0	. 76	7 047	1 7/10
130	-0-20		, 546	75	; 803	: 80	: 3,349	: 76	3,943	1,348
100	26-27	. 2	007		000	. 77	. 7 000	1.0	4 705	1 000
130	-0-21	, <u> </u>	, 5< /;		: 1,069	: 33	: 3,896	: 16	4,365	1,600
			:		•		_;	•		


Snow-Removal Organizations Have Reached High State of Development

THE SNOW-REMOVAL ORGANIZATION OF THE CONNECTICUT STATE HIGHWAY DEPARTMENT IS TYPICAL OF THE HIGHLY-DEVELOPED ORGANIZATIONS WHICH HAVE BEEN PERFECTED IN A NUMBER OF THE STATES DURING THE PAST FEW YEARS. THE SNOW-REMOVAL WORK IN THIS STATE IS CONTROLLED BY ELEVEN DISTRICT SUPERVISORS UNDER A SUPERINTENDENT OF MAINTENANCE. EACH DISTRICT ORGANIZATION IS COMPOSED OF THE NECESSARY FOREMEN, MEN, AND EQUIPMENT. THE HIGHLY EFFICIENT PERSONNEL HAS BEEN INSTRUCTED TO GEGIN SNOW REMOVAL AS SOON AS THE ROADS HAVE BECOME COVERED TO A DEPTH OF TWO INCHES. THIS AMOUNT OF SNOW STARTS THE ORGANIZATION TO WORK AUTOMATICALLY, WITHOUT ANY FURTHER INSTRUCTIONS FROM HEADQUARTERS. THE MEN ASSEMBLE, ACCORDING TO A PREDETERMINED PLAN, AT THE VARIOUS STORAGE SITES OF THE EQUIPMENT; AND IF ANY FAIL TO REPORT FOR DUTY ON TIME, IT MEANS THE LOSS OF THEIR POSITION WITH THE HIGHWAY DEPARTMENT, UNLESS THEY ARE ABLE TO GIVE A REASONABLE EXCUSE FOR THEIR ABSENCE.

* ** : : 10 : . . : THE EQUIPMENT CONSISTS OF 183 TRUCKS, OF VARIOUS MODELS AND MAKES, SCATTERED OVER THE STATE AT STRATEGIC POINTS. THESE TRUCKS ARE EQUIPPED WITH STRAIGHT-BLADE PLOWS. THE STATE ALSO HAS 7 V-PLOWS OPERATED BY TRACTORS. THE STRAIGHT-BLADE PLOWS ARE USED FOR LIGHT WORK AND THE HEAVY V-PLOWS FOR THE REMOVAL OF DRITTED SNOW.

THE LOCATION OF EACH OUTFIT IS RECORDED, WITH LARGE FLAT-HEADED PINS ON A STATE MAP HUNG ON THE WALL OF THE HEADQUARTERS OFFICE. ON EACH PIN THERE IS A NUMBER WHICH INDICATES THE MAKE, POWER AND CONDITION OF THE TRUCK, AND THE DESCRIPTION OF THE PLOW. ATTACHMENT. THE EQUIPMENT ALLOTTED TO THE VARIOUS DISTRICTS IS INTENDED TO BE ADEQUATE FOR NORMAL CONDITIONS, BUT IT OFTEN HAPPENS THAT A HEAVY SNOWFALL, WHICH EXCEEDS THE CAPACITY OF THE EQUIPMENT, OCCURS IN ONE DISTRICT, WHILE THE SURROUNDING REGIONS ARE AFFECTED GY LITTLE OR NO SNOWFALL. IN THIS CASE THE PERSONNEL OF THE SNOW-FREE DISTRICTS ARE DIRECTED BY THE SUPERINTENDENT TO PROCEED TO THE ASSISTANCE OF THE CREWS IN THE HEAVY-SNOWFALL AREA. THIS HELP IS NOT DELAYED UNTIL THE OVERTAXED DISTRICT IS SNOWED IN, BUT CARE-FUL WATCH IS MAINTAINED BY THE HEADQUARTERS OFFICE, AND THE RELIEF UNITS FROM THE SURROUNDING DISTRICTS ARE HURRIED TO THE SCENE BE-FORE THE LOCAL CREWS HAVE LOST CONTROL OF THE SITUATION. AS THE VARIOUS UNITS ARE MOVED TO THE!R NEW TEMPORARY LOCATIONS, THE PINS ON THE HEADQUARTERS MAP ARE SHIFTED ACCORDINGLY.

SNOW REMOVAL, IN THE STATES THAT HAVE BEEN ACTIVELY ENGAGED IN THIS SERVICE ON THEIR MAIN HIGHWAYS, REQUIRES NO FURTHER PROMO-TION. OPEN ROADS FOR THE WINTER TRAFFIC HAVE BEEN SOLD TO THE TRAVELING PUBLIC, AND THEY LOOK UPON THE CLEARED HIGHWAY IN THE WINTER AS A NECESSITY AND EXPECT THIS SERVICE TO CONTINUE WITH THE SAME REGULARITY AS THE MAINTENANCE OF THE SURFACES DURING THE RE-MAINDER OF THE YEAR. ONCE BEGUN THE SIZE OF THE PROGRAM IS SELDOM CURTAILED FROM YEAR TO YEAR UNLESS IT IS REDUCED BY OPEN WINTERS IN ISOLATED SECTIONS. USUALLY THE ONLY QUESTION RAISED IS HOW MUCH CAN THE M!LEAGE OF CLEARED ROADS BE !NOREASED DURING THE NEXT WINTER WITH THE AVA: LABLE EQUIPMENT AND FUNDS. ONE OF THE NEW ENGLAND STATES, OF RELATIVELY SMALL AREA, BUT WITH A SNOW-REMOVAL PROGRAM OF 1,900 MILES REPORTS THAT IN ONE WINTER THE MAINTENANCE OFFICE RECEIVED SOME 2,000 TELEPHONE INQUIRIES AS TO WHETHER CERTAIN ROADS WERE OPEN OR PASSABLE; BUT THAT NO SUCH CALLS WERE RECEIVED LAST WINTER. THE TRAVELING PUBLIC HAD COME TO EXPECT THE MAIN ROADS TO SE OPEN AND SERVICEABLE AND NO DOUBT FOUND THEM IN THAT DESIRABLE CONDITION.



EQUIPMENT WHILE IMPROVED IS ESSENTIALLY THE SAME AS USED DURING THE PREVIOUS WINTER

WITH THE EXCEPTION OF SUCH PROGRESSIVE IMPROVEMENTS IN SNOW PLOWS AS MIGHT BE EXPECTED, THIS TYPE OF EQUIPMENT REMAINS ESSEN-TIALLY THE SAME AS FORMERLY REPORTED. THOSE ENGAGED IN THE WORK APPEAR TO BE GIVING THEIR ATTENTION CHIEFLY TO THE MOTIVE POWER EMPLOYED, IN ORDER THAT WIDER ROADS MAY BE OPENED AND MAINTAINED WITH THE GREATEST POSSIBLE SPEED. THE MOLD-BOARD SNOW PLOW, THE LIGHTER AND HEAVIER TYPES OF V-PLOWS, AND THE ROTARY PLOWS, ALL CONTINUE POPULAR; BUT THE ENGINEERS IN CHARGE OF THEIR USE HAVE, THROUGH CAREFUL STUDY AND EXPERIMENTS, BECOME ABLE TO SPECIFY, FAIRLY ACCURATELY, THE TYPES MOST SUITABLE FOR USE UNDER VARIOUS CONDITIONS AND WITH DIFFERENT TYPES OF MOTIVE POWER. WHILE SOME LOCALITIES STILL HOLD TO OPENING THE ROADS AFTER THE STORM IS OVER, THE MAJORITY OF SNOW FIGHTERS ATTACK THE SNOW AT THE COMMENCEMENT OF ITS FALL OR SHORTLY THEREAFTER, AND CONTINUE OPERATIONS UNTIL THE STORM IS PAST AND THE ROAD CLEARED. WHEN THE LATTER METHOD IS USED AND THE ROADS ARE KEPT OPEN FOR CONSTANT TRAFFIC, MOLD-BOARD PLOWS OR LIGHT V-TYPE PLOWS ARE INVARIABLY EMPLOYED WITH HIGH-SPEED TRUCKS FOR THE MOTIVE POWER. THE PLOWS USED VARY IN DESIGN ONLY IN THE HEIGHT AND CROSS SECTION OF THE MOLD BOARD, AND SHAPE AND STRENGTH OF THE V-PLOW, BUT THERE APPEARS TO BE SOME DIFFERENCE OF OPINION REGARDING THE MODEL AND POWER OF THE TRUCKS TO SE EMPLOYED. AN ENGINEER IN CENTRAL NEW YORK (ONONDAGA COUNTY) WITH CONSIDERABLE SNOW TO HANDLE, AFTER EXPERIMENTING WITH VARIOUS TRUCKS, HAS ADOPTED A TRUCK OF RATHER HEAVY BUILD AS BEST SUITED FOR HIS SNOW-REMOVAL WORK; WHILE ENGINEERS OF MICHIGAN, AFTER SIMILAR STUDY, GELIEVE A LIGHTER AND LESS EXPENSIVE TRUCK IS SUITABLE FOR ALL PRE-LIMINARY CLEARING. THE TRUCK USED IN NEW YORK IS SHOWN IN FIGURE 1. THIS VIEW SHOWS THE MOUNT EQUIPPED WITH A V-PLOW AND WING WIDENER. FIGURE 2 SHOWS A SIMILAR CHASSIS WITHOUT THE WIDENER, BUT WITH A CENTER SCRAPER-BLADE ATTACHMENT, AND FIGURE 3 SHOWS THE SAME OUTFIT WITH A STRAIGHT-BLADE PLOW IN PLACE OF THE V-TYPE.

THE TRUCK SHOWN IN FIGURES 2 AND 3 IS ONE OF THE FOUR-WHEEL-DRIVE TYPE. IT IS GEARED FOR FIVE FORWARD SPEEDS AND THE MOTORS DEVELOP 80 TO 100 HORSE POWER ACCORDING TO THE MODEL. THE TRUCK COSTS ABOUT \$7,000 F.O.B. FACTORY, EXCLUSIVE OF SNOW-REMOVAL ATTACH-MENTS. THIS TYPE OF TRUCK WHILE CLEARING 974 MILES OF ROAD IN ONONEAGA COUNTY, NEW YORK, USED 440 GALLONS OF GASOLINE, 6 QUARTS OF ENGINE OIL, AND 5 POUNDS OF GREASE. THE ENGINEER OF THIS COUNTY CONSIDERS THIS TRUCK VERY EFFICIENT FOR SNOW-REMOVAL WORK. HE STATES THAT, WITH A DRIVER AND ONE EXTRA MAN, IT CAN DO THE WORK OF TWO OR THREE ORDINARY TRUCKS. HE CLAIMS THAT IT WILL CLEAR 10 INCHES OF SNOW, WITH A V-PLOW AND WING-WIDENER ATTACHMENT, AT THE RATE OF

. 1 - 1



Figure 1. - Typical snow-removal equipment employed by Onondaga County, New York.




Figure 2. - Chassis of truck, with center scraper-blade attachment, used somewhat extensively in the State of New York.



Figure 3. - The same chassis as in Figure 2 with a straight-blade in place of the V-plow.



35 MILES PER HOUR, AND ALSO THAT ONE OF THE OUTFITS WILL KECP A 35-MILE SECTION OF HIGHWAY OPEN, IN HIS LOCALITY, PROVIDED ADEQUATE DRIFT PREVENTION IS MAINTAINED. WHEN THE OUTFIT INCLUDES THE STRAIGHT-BLADE PLOW AND CENTER SCRAPER, IT IS MORE EFFICIENT FOR WIDENING A CUT THAN THE V-PLOW BECAUSE ONLY ONE-HALF OF THE BLADE OF THE LATTER IS IN USE. THE FRONT BLADE EMPLOYED IS USUALLY 10 FEET WIDE BY 20 INCHES HIGH, WHILE THE CENTER SCRAPER IS \$2 FEET WIDE AND 18 INCHES HIGH WITH SIDE WINGS 36 INCHES HIGH. ALTHOUGH THIS TYPE OF TRUCK IS PARTICULARLY EFFICIENT FOR SNOW-REMOVAL WORK, ITS COST SEEMS TO BE RATHER HIGH FOR USE IN THE GENERAL WINTER MAINTENANCE OF RURAL ROADS. THE OUTFIT MIGHT, HOWEVER, BE EMPLOYED ECONOMICALLY FOR CLEARING HEAVY-TRAFFIC ROADS ADJACENT TO LARGE CITIES.

FIGURE 4 SHOWS A TRUCK EQUIPPED WITH A LATERAL-TYPE ROTARY PLOW. HERETOFORE, ROTARIES GENERALLY HAVE BEEN MOUNTED ON TRACTORS. WHILE SUCH EQUIPMENT HAS BEEN CONSIDERED SUITABLE FOR WIDENING AND HEAVY SNOW-REMOVAL WORK, IT WAS FOUND TO BE VERY SLOW IN REACHING THE FIELD OF OPERATION AND IN TRAVELING BETWEEN DRIFTS. SUCH A ROTARY, SUITABLE AS A TRUCK MOUNT, WITH A TRUCK EFFICIENT FOR SUCH A PLOW, SHOULD BE A VALUABLE ACQUISITION TO SNOW-REMOVAL EQUIPMENT. THE OUTFIT MAY BE MOVED TO THE SCENE OF WORK AT HIGH SPEED, AND BETWEEN DRIFTS THE PLOW MAY BE LIFTED FROM THE PAVEMENT AND THE INTERVENING SECTION TRAVELED OVER RAPIDLY.

THE TYPE OF TRUCK USED EXTENSIVELY IN MICHIGAN IS SIMILAR TO THE ONE DESCRIBED BUT IS LESS EXPENSIVE; THE COST IS REPORTED AT ABOUT \$4,000. THE ENGINE HAS SIX CYLINGERS AND DEVELOPS EITHER 40 OR 70 HORSEPOWER, IN ACCORDANCE WITH THE MODEL SELECTED. PNEUMATIC TIRES ARE USED BECAUSE THEY ARE CONSIDERED MORE SUITABLE FOR SNOW-REMOVAL WORK BY THE MICHIGAN ENGINEERS. THE TRUCK IS EQUIPPED WITH A V OR STRAIGHT-BLADE PLOW, AND OFTEN ALSO CARRIES AN 8-FOOT BY 10-INCH CENTER BLADE SLUNG BENEATH ITS CHASSIS. THE CENTER BLADE IS USED IN SUMMER MAINTENANCE FOR FLOATING GRAVEL.

WIDE CUTS TO ACCOMMODATE SNOW FROM SUBSEQUENT STORMS NOW BECOMING GENERAL PRACTICE

IN LOCALITIES WITH CONSIDERABLE SEASONAL SNOWFALL AND A GENERAL LOW TEMPERATURE, WHICH KEEPS THE SNOW FROM MELTING DURING ALL
OR A PART OF THE WINTER, THE CHIEF REQUIREMENT APPEARS TO SE TO
MAINTAIN WIDE CUTS, WHERE THE TOPOGRAPHY WILL PERMIT. WHILE THESE
WIDE CUTS MAKE USEFUL ROADWAYS FOR TRAFFIC, THEIR PRINCIPAL PURPOSE,
AFTER A CERTAIN WIDTH ADEQUATE FOR TRAFFIC IS CLEARED, IS TO PROVIDE
ROOM FOR THE SNOW OF FUTURE STORMS. WHICHEVER MODEL OF TRUCK IS

. , = .. s

en de la companya de la companya de la companya de la companya de la companya de la companya de la companya de La companya de la companya de la companya de la companya de la companya de la companya de la companya de la co




Figure 4. - A rotary plow, of the lateral type, suitable as a truck mount.



Figure 5. - An open road, in the State of Michigan, where the cleared way has been widened with truck-plow attachment.





Figure 6. - Rear view of a V-shaped plow, with adjustable wing attachment suitable for bank leveling.



EMPLOYED FOR THE PRELIMINARY CLEARING, THE CUT MUST BE WIDENED AS THE SEASON ADVANCES TO MAKE FURTHER DISPLACEMENT WORK POSSIBLE. THIS WIDENING WORK IS DONE BY NUMEROUS TYPES OF PLOWS AND MOTOR EQUIPMENT. DURING THE EARLY PART OF THE SEASON THE WIDENING IS DONE OVER DRIFT-PROTECTED SECTIONS BY THE STRAIGHT-SLADE OR V-PLOW MOUNTED ON TRUCKS. AFTER THE ROADWAY HAS BEEN CLEARED FOR TRAFFIC, THE TRUCKS CONTINUE OPERATIONS AND PUSH BACK THE SNOW AS FAR AS IS CONSIDERED NECESSARY. THIS IS DONE AS THE SEASON ADVANCES, AS LONG AS IT IS POSSIBLE TO DO SO, WITH TRUCKS AND LIGHT PLOWS, WITHOUT THE AID OF HEAVIER PLOWS AND TRACTORS. FOR ECONOMIC WORK THE TRACTOR EQUIPMENT IS NOT BROUGHT INTO ACTION THE TRUCKS ARE NO LONGER ADEQUATE. AS SOON AS THE TRACTOR SECOMES ABSOLUTELY NECESSARY FOR WIDENING OPERATIONS, THE COST OF THE WORK BEGINS TO RUN INTO MONEY. AS MENTIONED ABOVE, THE TRAVEL OF THE TRACTOR TO THE SITE OF THE WORK AND BETWEEN DRIFTS IS SLOW. IT IS ALSO SEST TO KEEP TRACTORS OFF FLEXIBLE PAVEMENTS AS MUCH AS POSSISLE. THE FLANGES OF THE TRACTOR INDENT THE SUR-FACE. THESE INDENTATIONS WILL IRON OUT OF SITUMINOUS PAVEMENTS DURING THE WARMER WEATHER, BUT IN THE MEANTIME THEY PROVIDE A MEANS FOR WATER TO ENTER THE SURFACE, WITH A POSSIBILITY OF INJURY. CONSEQUENTLY, THE WIDENING OPERATIONS SHOULD BE CARRIED ON BY TRUCKS, AS THE MOTIVE POWER, TO THE UTMOST LIMIT OF THEIR CAPACITY. HOWEVER, IN LOCALITIES WITH LOW TEMPERATURES, AND WHERE THE SNOW OF SUCCESSIVE STORMS REMAINS THROUGHOUT THE WINTER, THE WIDE CUTS MUST BE PROVIDED, IN ANY EVENT, FOR CONVENIENCE OF THE WORK AND ECONOMY IN THE COST OF OPERATION. COMPARISONS SHOW THAT IT IS MORE COSTLY TO MAINTAIN A NARROW PATH DURING SEVERE WINTERS THAN A WIDE ONE. IN REMOVING THE SNOW OF A SUCCEEDING STORM FROM A NARROW CUT, THE WORK MUST BE DONE WITH TRACTOR EQUIP-MENT, WHEREAS THE SNOW FROM A SIMILAR STORM FALLING OVER A WIDE CLEARED PATH CAN BE HANDLED WITH TRUCKS AND LIGHT PLOWS. FIGURE 5 SHOWS A ROADWAY WIDENED WITH TRUCK-PLOW EQUIPMENT. AS MAY BE OB-SERVED, THE PATH WAS MADE AS WIDE AS THE POLES AND TREES WOULD PERMIT.

THE WIDENING OF CUTS TO ACCOMMODATE THE SNOW OF SUCCEEDING STORMS HAS NOW BECOME A WELL ESTABLISHED PRACTICE. OF COURSE THIS IS NOTHING REALLY NEW, BUT THE ENGINEERS IN CHARGE HAVE BEGUN TO REALIZE ITS IMPORTANCE. AFTER THE TRUCK PLOW IS NO LONGER ADEQUATE, THE WIDENING OF PRELIMINARY CUTS THROUGH DEEP SNOW IS ACCOMPLISHED WITH HEAVY DISPLACEMENT PLOWS AND ROTARIES OF ONE TYPE OR ANOTHER, GOTH CLASSES OF PLOW BEING EMPLOYED WITH TRACTORS. THE DISPLACEMENT PLOW IS VERY SERVICEABLE FOR THIS WORK, BUT AS IT ROLLS THE LOOSENED SNOW TO THE TOP OF THE ADJACENT BANK, IT OCCASIONALLY BUILDS UP A WEDGE-SHAPED FORMATION WHICH ACTS AS A WIND BREAK AND CAUSES DRIFTS IN THE TRAVELED WAY. THIS IS PREVENTED, IN SOME INSTANCES, BY AN

- (,

- 1

ADJUSTABLE WING ATTACHMENT IN CONNECTION WITH THE PLOW. THE WING IS ATTACHED TO A POST ON THE RIGHT HAND SIDE OF THE FRAME, IN SUCH A MANNER THAT IT CAN BE RAISED OR LOWERED TO A LEVEL WITH THE HEIGHT OF THE ADJACENT BANK, WITH THE CUTTING EDGE PARALLEL TO THE HORIZONTAL PLANE, AND THE WING SET AT ABOUT AN ANGLE OF 45 DEGREES TO THE AXIS OF THE CUT. THE WING IN THIS POSITION LEVELS THE TOP OF THE SNOW EANK SO THAT IT WILL NOT ACT AS A WIND BREAK. FIGURE 8 IS A REAR VIEW OF A DISPLACEMENT PLOW WITH WING ATTACHMENT SUITABLE FOR BANK LEVELING. IN THIS PICTURE THE PLOW IS DETACHED FROM ITS MOUNT, WITH THE ADJUSTABLE WING RAISED AT A SLIGHT ANGLE WITH THE HORIZONTAL PLANE.

WITH THE USE OF THE ROTARY PLOW IN WIDENING OPERATIONS, THE WEDGE-SHAFED TOP IS NOT FORMED, BUT A SHEER BANK WITH LEVEL TOP IS PROVICED. F:GURE 7 SHOWS A WIDENED ROADWAY CLEARED WITH A ROTARY PLOW AND TRACTOR, AND FIGURE 8 SHOWS A ROTARY PLOW IN ACTION WIDEN-ING A PRELIMINARY CUT.

IN SOME CASES WHEN THE SNOW HAS BECOME HARD OR THE BANK IS HIGHER THAN THE TOP OF THE ROTORS, THE ROTARY PLOW IS PROVIDED WITH AN AUXILIARY ATTACHMENT FOR CONVENIENCE IN THE WIDENING WORK. THE DEVICE IS ATTACHED TO THE REAR OF THE ROTARY PLOW AND LOOSENS THE SNOW, PERMITTING IT TO FALL TO THE ROAD SURFACE WHERE IT IS PICKED UP AND CAST INTO THE FIELDS ON THE RETURN TRIP OF THE PLOW. FIGURE 9 ILLUSTRATES THE DEVICE IN ACTION.

DRIFT PREVENTION CONTINUES AS GENERAL PRACTICE

DRIFT PREVENTION WITH SNOW FENCE OR BY OTHER MEANS CONTINUES TO BE POPULAR. AN ENGINEER IN CENTRAL NEW YORK REPORTS THAT OVER SOME SECTIONS OF HIS ROADS ROTARY PLOWS WERE NECESSARY FOR WIDENING THE CLEARED WAY BEFORE THEY HAD ERECTED SNOW FENCES. AFTER PLACING THE SNOW FENCE, AT STUDIED LOCATIONS, ALL WIDENING WAS ACCOMPLISHED WITH TRUCK-MOUNTED DISPLACEMENT PLOWS, WITH A SUBSTANTIAL SAVING IN OPERATING EXPENSES. ALTHOUGH SNOW FENCES OF VARIOUS TYPES AND DESIGN ARE BEING USED IN LARGE QUANTITIES OVER THE SNOW AREA, AT TIMES THE APPROPRIATIONS FOR THIS PURPOSE DO NOT KEEP UP WITH THE DEMAND, AND IN SUCH INSTANCES NUMEROUS MAKESHIFTS ARE RESORTED TO FOR DVERCOMING THE SHORTAGE. IN ONE LOCALITY, DISCARDED CALCIUM CHLORIDE BAGS WERE STRUNG ON WIRE ATTACHED TO POSTS. THESE WERE FOUND USEFUL FOR KEEP-ING THE DRIFTS FROM THE TRAVELED WAY. THE WIND RESISTANCE OF THE BOARDS OF WOODEN GUARD-RAIL IS OFTEN THE CAUSE OF DRIFTED ROADWAYS, AND THE SAME SOARDS AT TIMES INTERFERE WITH THE DISPLACEMENT OF SNOW. THE LOWER PLANK PREVENTS THE SNOW FROM BEING PUSHED LATERALLY BY THE PLOWS. IN SOME LOCALITIES, SECTIONS OF WOODEN GUARD-RAIL ARE DISMAN-TLED DURING THE WINTER AND THE PLANKS USED TOGETHER WITH CHLORIDE

A TOTAL STATE OF THE STATE OF T

E TO SERVICE OF A TO SERVICE O

ET BET CONTROL TO CONTROL OF CONT



Figure 7. - A vertical snow bank with level top. This cut was widened with a rotary plow.



Figure 8. - A rotary plow in action, widening a cut.





Figure 9. - The bank sloper for high banks attached to a rotary plow, being used in widening work.



SAGS FOR IMPROVISING SNOW FENCES. THE BOARDS ARE BOUND TOGETHER IN TEMPORARY FRAMES AND THE BAGS TACKED IN PLACE. AT THE CLOSE OF THE SNOW SEASON THE BOARDS ARE REPLACED IN THE GUARD RAIL.
FIGURE | O IS A VIEW OF THE SNOW FENCE MADE OF BAGS STRUNG ON WIRE, AND FIGURE | SHOWS A FRONT VIEW OF THE FRAMED GUARD-RAIL SNOW FENCE. THE DRIFTS MAY BE SEEN ON THE LEEWARD SIDE OF THE STRUCTURE. THE ROAD, NOT SHOWN IN THE PICTURE, WAS FREE FROM DRIFTS ALONG SECTIONS THUS PROTECTED.

SNOW TRAPS PREVENT DRIFTING IN SOME LOCALITIES

THE FORMATION OF DRIFTS IN ROADWAYS IS PREVENTABLE TO SOME EXTENT, IN TERRITORY WITH HEAVY SNOWFALLS AND LOW TEMPERATURES, BY PLOWING A PATH IN THE SNOW IN THE FIELDS ON THE WINDWARD SIDE OF THE HIGHWAY. THE PLOWED PATHS ARE CALLED "SNOW TRAPS." THE IDEX IS NOT ENTIRELY NEW, AS IT WAS FORMERLY USED IN TIMBERED COUNTRY FOR THE PROTECTION OF LOGGING ROADS FROM DRIFTED SNOW. THE TRAPS ARE PLOWED FROM 75 TO 100 FLET AVAY FROM THE ROAD AND ARE MADE FROM 12 TO 15 FEET WIDE. ONE OR MORE TRAPS ARE PLOWED ACCORDING TO THE NATURE OF THE TERRAIN ADJACENT TO THE ROAD AND THE SNOW TO SOME EXTENT AND KEEP IT FROM CRIFTING INTO THE ROAD. AFTER EACH STORM THE RUNWAYS ARE REPLOWED AND THE SNOW PILES UP IN HIGH BANKS WHICH SERVE VERY WELL AS WIND EREAKS UNTIL THE NECESSARY QUANTITIES OF REGULAR FENCE CAN BE FINANCED AND SET. FIGURE 12 SHOWS A SERIES OF THE TRAPS PLOWED ALONG A ROAD IN NORTHERN MICHIGAN.

COST OF SNOW REMOVAL VARIES OVER A WIDE RANGE

CONSIDERABLE ATTENTION HAS BEEN GIVEN TO THE ACTUAL COST OF SNOW-REMOVAL WORK IN ORDER TO ARRIVE, IF POSSIGLE, AT SOME METHOD OF CALCULATING PRECISE COST DATA. IN CONNECTICUT OFFICIALS CONTEND THAT, THROUGH THE SAVINGS MADE IN ANOTHER DIRECTION, THE WORK IN REALITY COSTS THE TAXPAYERS NOTHING. WHILE THIS STATE CONTROLS MANY MILES OF CONCRETE SURFACES THEY ALSO HAVE A CONSIDERABLE MILEAGE OF FLEXISLE TYPES OF PAVEMENT TO MAINTAIN AND IT IS CLAIMED THAT THE MONEY SPENT ON SNOW REMOVAL IS MORE THAN SAVED IN THE SPRING MAIN-TENANCE OF THEIR WATERBOUND AND BITUMINOUS SURFACES. BEFORE THE DAYS OF SNOW REMOVAL, AUTOMOBILES AND TRUCKS WITH ARMORED TIRES OFTEN CAUSED RUTS FOR MILES IN THE FLEXIBLE PAVEMENTS. THIS NECESSI-TATED EXPENSIVE SPRING REPAIRS. SINCE SNOW REMOVAL HAS BEEN ADOPTED AND PERFECTED BY CONNECTICUT, THE USE OF NON-SKID CHAINS HAS BECOME UNNECESSARY, AND THIS HAS RESULTED IN A LARGE SAVING IN MAINTENANCE. MOREOVER IT HAS BEEN ESTIMATED THAT THE GASOLINE TAX PAID FOR THE OPERATION OF VEHICLES OVER THE CLEARED ROADS DURING THE HEAVY SNOW

1 1000000 11167; - 1 - 4





Figure 10. - A snow fence made from discarded calciumchloride bags.



Figure 11. - A snow fence made from discarded bags and framed guard-rail timber.



Figure 12. - A series of snow traps. The snow cloud in the center of the picture is caused by a rotary plow engaged in widening work.



SEASON IS SUFFICIENT TO PAY APPROXIMATELY THE ENTIRE SNOW-REMOVAL BILL FOR THE SEASON. WITHOUT SNOW REMOVAL ANOTHER LOSS IN REVENUE COULD BE CHARGED TO THE FAILURE OF NUMERCUS CAR OWNERS TO PURCHASE THEIR LICENSE PLATES UNTIL APRIL I OF EACH YEAR, AND THEREBY CAUSE A CORRESPONDING REDUCTION IN THE TOTAL TAX. WITH 32 OF THE 36 SNOW STATES WITH GAS-TAX RATES RANGING FROM 2 CENTS TO 5 CENTS PER GALLON, AND FROM THE OTHER FACTS CITED, IT IS APPARENT THAT SNOW-REMOVAL WORK, GENERALLY, IS PAID FOR FULLY BY THE MOTOR VEHICLES ACTUALLY TRAVELING OVER THE CLEARED HIGHWAYS.

THE SUPERINTENDENT IN CHARGE OF THE SNOW-REMOVAL WORK FOR CONNECT CUT, WHO HAS UNDER HIS SUPERVISION THE EFFICIENT MAINTEN-ANCE ORGAN'ZATION WHICH HAS BEEN PREVIOUSLY MENTIONED, BELIEVES THAT RELIABLE COST DATA ARE UNOSTAINABLE. HE CLAIMS THAT 12 INCHES OF SNOW, FALLING WITHOUT WIND, CAN BE MOVED AS CHEAPLY AS 5 INCHES, FALLING WITH WIND. CONSEQUENTLY, ANY EFFORT TO ARRIVE AT THE COST OF REMOVAL PER INCH OF FALL IS USELESS. IT IS REPORTED THAT NEWLY-FALLEN SNOW, WITHOUT WIND, CAN BE MOVED WITH A TRUCK, WHICH WITH ONE DRIVER IS RATED AT \$25.00 PER DAY OF NINE HOURS. IN ORDER TO CLEAR A PATH 36 FEET WIDE WITH THIS OUTFIT, IT WOULD BE NECESSARY FOR THE TRUCK TO MAKE FOUR TRIPS OVER A SECTION OF 13 MILES, AND IN DOING SO MAINTAIN AN AVERAGE OF SIX MILES PER HOUR DURING THE NINE HOURS WORK. THIS WOULD BRING THE COST OF SNOW REMOVAL, UNDER SUCH CONDITIONS, TO A RATE OF \$2.00 PER MILE PER STORM. SOME SUCH FIGURES MIGHT BE USED FOR COST DATA PER STORM, BUT THEY WOULD BE UNRELIABLE FOR THE REASON THAT SNOW SELDOM FALLS WITHOUT WIND, AND THEY COULD BE USED ONLY IF THE SNOW WAS LEFT UNDISTURBED UNTIL THE STORM WAS OVER. ORDINARILY SNOW REMOVAL IS GEGUN WHEN A DEPTH OF 2 INCHES OR MORE HAS BEEN REACHED, AND THE WORK IS CONTINUED UNTIL THE STORM IS OVER AND THE SECTION CLEARED. IN SUCH CASES, A TRUCK WOULD TRAVEL MUCH FASTER THAN SIX MILES PER HOUR, BUT IT WOULD BE NECESSARY TO MAKE MORE TRIPS IN ORDER TO KEEP THE SECTION CLEARED. Some figures might be arrived at to cover the cost per mile per STORM UNDER THESE CONDITIONS BUT THEY WOULD VARY WITH THE DURATION AND INTENSITY OF THE STORM. THE SNOWFALL MAY LAST FOR NINE HOURS AND DEPOSIT 9 INCHES OF SNOW, OR IT MAY FALL INTERMITTENTLY OVER A PERIOD OF 24 HOURS WITH THE SAME RELATIVE DEPTH OF SNOW TO REMOVE. THE AVERAGE COST OF SNOW REMOVAL FOR A STATE OR LARGE TERRITORY IS UNRELIABLE, EITHER WHEN ESTIMATED FROM DEPTH FACTORS OR PER STORM. THE SNOWFALL FOR THE SEASON MAY VARY FROM 25 INCHES IN SOME SECTIONS TO 75 INCHES IN OTHERS, AND THESE DEPTHS VARY BY YEARS. THE NUMBER, DURATION, AND INTENSITY OF THE STORMS MAY VARY IN LIKE MANNER.

9.1

T 1 -- 1

. 228 - 1

3)

. 1

THE ENGINEER FOR A STATE IN THE MIDDLE WEST GELIEVES THAT THE COST OF REMOVING SNOW FROM THE ROADS IN ONE TERRITORY CAN BE ESTIMATED FROM THE COST OF WORK OVER A SIMILAR SECTION, PROVIDED THE NECESSARY RECORDS HAVE SEEN KEPT. A REPORT COMPILED BY ONE OF THE STATE HIGHWAY ENGINEERS STATES THAT THE AVERAGE ANNUAL SNOWFALL FOR THE STATE VARIES FROM 30 INCHES AT ITS SOUTHEAST CORNER TO 130 INCHES AT ITS EXTREME NORTHERN LIMITS. THE STATE HAS A TEMPERATURE VARYING FROM OCCASIONAL ZERO WEATHER IN THE SOUTHEAST SECTION TO 50 DEGREES BELOW ZERO AT ITS NORTHERN LIMITS. AN EXTENSIVE SNOW-REMOVAL PROGRAM IS MAINTAINED WHICH COVERS PRAC-TICALLY ALL SECTIONS OF THE STATE, NO PART OF WHICH IS MOUNTAINOUS, AND A MOST CAREFUL AND COMPLETE STUDY HAS BEEN GIVEN TO SNOW-REMOVAL WORK. THE STUDIES INCLUDED THE PREPARATION OF A MAP OF ALL THE ROADS INCLUDED IN THE SNOW-REMOVAL PROGRAM. THE MAP SHOWS THE NATURE OF THE SURROUNDING TOPOGRAPHY AS AFFECTING THE CRIFTING OF SNOW. SNOW-REMOVAL WORK FOR THE STATE IS DIVIDED INTO FIVE DIVISIONS AND TEN MAINTENANCE SECTIONS, EACH SECTION BEING IN CHARGE OF A MAINTENANCE SUPERVISOR WHO FURTHER SUBDIVIDES HIS SECTION INTO WORKABLE UNITS. IN SOME INSTANCES THE WORK IS PARCELED OUT TO THE COUNTIES, ON A COST-PLUS BASIS, UNDER CONTRACT TO KEEP THE STATE ROADS OPEN. DURING THE PAST WINTER, ALL DIVISION ENGINEERS, MAINTENANCE SUPER+ VISORS, AND FOREMEN WERE DIRECTED TO KEEP ACCURATE COST DATA OF ALL SNOW-REMOVAL OPERATIONS. THE RECORDS ARE TO DE SEGREGATED INTO CONVENIENT SECTIONS WITH DESIGNATED TERMINI, AND ARE TO SE COMPARED WITH SIMILAR AREAS ON THE TOPOGRAPHICAL MAP. THE VARIOUS ORGANIZATIONS WERE INSTRUCTED TO NOTE ALL COST DATA ON SNOW-REMOVAL WORK; THE RECORDS TO INCLUDE THE EQUIPMENT USED AND THE HOURLY RENTAL CHARGES ADOPTED; WAGES OF MEN; ESTIMATED OVERHEAD; INTENSITY AND DURATION OF STORMS; DURATION AND ESTIMATED VELOCITY OF THE WIND; DENSITY OF THE SNOW; TEMPERATURES DURING THE STORM AND WHILE REMOVAL OPERATIONS ARE IN PROGRESS; IN FACT EACH AND EVERY ITEM TO BE NOTED BEARING ON THE WORK INVOLVED, THAT WOULD BE DIRECTLY OR REMOTELY USEFUL IN SECURING COST DATA. WHEN THESE FIGURES HAVE BEEN CLASSI-FIED, AND COMPARED AS TO SECTIONS WITH SIMILAR TOPOGRAPHY, THEY WILL MAKE AVAILABLE FOR THAT STATE ACTUAL COST DATA COVERING SMALL AND LARGE SECTIONS OF TERRITORY, OVER A REGION WITH SNOW PRECIPITATION AVERAGING SETWEEN 30 AND 130 INCHES PER YEAR. WITH THIS INFORMATION, SHOULD THE STATE HIGHWAY DEPARTMENT WISH TO ESTIMATE THE COST TO REMOVE SNOW FROM ANY PARTICULAR SECTION, THEY MAY DO SO AFTER A STUDY OF THE TOPOGRAPHICAL CONDITIONS AND THE LOCAL WEATHER BUREAU RECORDS, FOLLOWED BY A COMPARISON OF THE DATA WITH A PREVIOUSLY STUDIED SECTION OF SIMILAR TERRITORY.



ATTACHED TO THIS REPORT IS A TABLE SHOWING THE MILEAGES COVERED AND THE EQUIPMENT USED FOR THE WINTER OF 1926-27 IN THE 36 STATES LYING WITHIN THE HEAVY-SHOWFALL AREA. THE DATA WERE COLLECTED FROM THE STATE HIGHWAY DEPARTMENTS, WITH ONE EXCEPTION, WHERE THE COUNTIES WERE REQUESTED TO FURNISH THE INFORMATION. SINCE THE INFORMATION WAS FURNISHED BY THE STATES IT SHOULD BE UNDERSTOOD THAT IT COVERS PRINCIPALLY THE SNOW-REMOVAL WORK UNDER THE CONTROL OF THE STATE HIGHWAY DEPARTMENTS. IT IS NOT POSSIBLE TO SECURE ACCURATE RECORDS OF THE WORK IN THE 36 HEAVY-SNOWFALL STATES, WHICH IS BEING CARRIED ON BY THE COUNTIES, TOWNSHIPS, LOCAL AUTHORITIES, AND PRIVATE CONCERNS.

THE ATTACHED MAP SHOWS THE LOCATION OF THE MAIN ROADS WHICH ARE PROPOSED TO BE KEPT CLEAR OF SNOW DURING THE WINTER OF 1327-28.



UNITED STATES DEPARTMENT OF ADMIDULTURE BUREAU OF PUBLIC ROADS - DIVISION OF DONORHUSTING

SHOR REMOVAL DATA - MINTER 1886-87

į.		STOTAL MILEAGE STATE ROADS	I IMIN. AND MAX. INVERSE ANNUA	1	1	BNOW REMOVAL EQUIPMENT + SINTER 1928-27 SHOR REMOVAL											
		IFED. AID ROADS)	ISMONFALL BE-	1 CONTROL	I I TRUON	PLOWS								EVENAGE		88 A 3 A 10 B 10 B 10 B 10 B 10 B 10 B 10 B 10	
		HALIS OBDYANCE	IPERIOD OF WAS	1 1986-27	1					Leviens		E MY		TENOPPALL PROM	I TOTAL	PR BRAM	
		TOP PAVEMENT AS	1 Brase		1MOLO 180ARO 1TYRE	I TYPE	CHADBI	1 TYRE	1RoTM	2 440	19magena	I FENDE	E monta I mith I avon	IRECORDS IN	8 10 7 8	01×744 1 7 26	;
		1	1	1	1	<u>;</u>	ITYPE :	0	-	TRACTORS	ļ	1	U EMBATO	Broff .	_		1
	Magneg	1,302	: Imoxes : :74.4 To 131.9	I I Tommaniana	:	1 1 1 A	1 0 1	1	1	:	2 1 1	2 Mills	I #50	I INCHES	1 1 1 A	A	I I I FUTURE BROW REMOVAL ACTIVITIES TO SE IN
	NEW HAMPBHIRE	1,963	: :65.1 to 94.0	I BYATE AND	: 18	1 1 18	1 :	1 68	1	I I 26 Teucas	1	1 2	1 +4	: : 0c.1		44	OHARGE OF STATE THROUGH LESISLATIVE CHAOTHERT
(0	VERMONT	£ 2,139	: :63.6 to 110.6	170 mm 8+1 m8	3	1		1		1 76 YMAGTOMS		1	1 4,680	00.1	18 69,700		3 Milliage of Roads Oltaneo twoLuce State and . 1 months. Total out factures State man only
STATES		1	1	1	1 22 1	1 15	35	10	1 1	35 TRACTORS	1 36	1 3	1 1,627 1	T3+4	3 5 700	1,650	1
ATLANTIC ST	MASSADHUSETTS	1 1,651 1	145.4 70 61.5	2 Townselps	1 142	į ^	10	n .	4	1 142 Inu na 18 Teactons	1 0		1,000	56.3	10,000	1 600	2 STATE LOADS WANT EQUIPMENT. FORMER REMOVE BNO
	RHODE TOLAND	1 452 1	124.1 70 47.0	INTATE AND	1 83	: : -	: : 3 - :	3	1 9	82 Truces 1 13 Tractors	1 4		T51	t 1 31 c	52,000	775	SHAPEURS TO SYSBUJONS JAYOWSE BONG TO. JATOF 1
	CONNECTIQUE	1,819	! !40.3 % 75.6		1 193	: -	- 1	7	1 1 -	: 183 Teuche	:	20	1.900	: 41.1	174 85	1 900	OATA FOR TOWNSHIPS ESTENATED 1 E-ULEMACHT INCLUDES ALSO 15 CETRA SHOE RECES.
	NER YORK	9,854	1 1 128.8 70 141.4	TOWNSHIPS f:Counties &	1 175	: : 194 .	43	250	1 38	: T Teacross:	ı	ı		1	1 2 8 a	AA.	
NORTH	New Jersey	:	1	ITOMICHIPS	1	i .	1	1	:	211 184CTORB	• Ягны в огля 1		. 1 ,000	: 70.7 !	936 000	15,000	I SHOW REMOVAL ATA ESTIMATED FROM Plaumes sus- MITTED BY 37 LOWNTEES.
	MEM DENGEY	: 1,297 :	114.4 70 54.4 :	: COUNTIES	131	: 30 :	- [7	1 4	1 16 Teuche 1 11 Teactors		1 1	100	21.0	: 16 ,1 1	-	: I TAL COST WIDM DUE T. REG OVERHEAD ENCLUDED. : COUNT - WORK CATA OWITTED.
	PENNSYLVANIA	8,439	184.7 to 92.2	18TATE	377	107	- :	85	; i 5	1 464 Teuche 1 96 Teache	25	23	1 63	1 13 0	+ 0. cr	6,300	
ATES	OEL ABARE	: 2 591	116.7 70 22.9	STATE AND	5	7		5	1 -	: 23 TAUCHS	: 10	1 2	600	d.a	1 1 100	65/01	I ONE COUNTY ONLY ENGAGED IN SHOR REMOVAL BORA.
C ST	VARVLAND	: 2,420	13.9 to 69.4	:	1 88	- :	- 1	-	: ! : 3	: 5 PRACTORS:		: 18	1 2 73		41 000	4 700	
S. ATLANTIC STATES	VIRGINIA	: : 2,025	: : 1 7.3 TO 33.4	:	1 20				1	: 3 TRACTORS			1				
		:		:CounTies	1 201		: :	6	:	\$ 50 Tecune 1 50 Tengtone	: 50 :	3	: 5 XXX	9.9	32,000;	1.200	HE EQUIPMENT ALBO ENGLUDES 50 HORSE-ORASM
	WEST VIRGINIA	1 1,732 . 1	8.8 to 101.0	STATE AND	: 11:	-	1 :	-	: -	1 44 THUCKS 1 16 TRACTURS	34	-	422	25 4	9 853	422	DATA TOR FORMER MENTER UBID.
	Энго	9,591	116.8 70 34.8	BTATE AND	150	32 1	6 1	9	: 6 	: 525 Teucke : 131 Teactone	396	: 00	: 5 169:	27.9	143,142:	7,074	UNTA COVERS STATE NORA DNLY.
	INDIANA	4,153	: :13.6 70 61.3	BTATE AND	. 0:	15	- 1	2	1 - 1	: 624 TRUCAS : 49 TRACTORS	230	- 1	3,590	25 6	32,510:	3 300:	Equipment Auto Includes 28 millor Plons.
	ILLIYOTE	4.496	: 11.6 to 39.4	STATE MO	166:	43	- 1	2	: 3	: : 224 THUCKS :	53	53 : - :	: : 3 =91:	22.3	: 17 74;	3.80:	DATA J YERB STATE RORA DWLY
S	MIDHIGAY	6,229	: : :33.5 70 121.4	: COUNTIES : STATE AND	: : : : : : : : : : : : : : : : : : : :	143	2 :	57	1 1 . 43	: 55 Teacrose: : 330 Teucas	Nuvenous	1 169 1	: 5.T05:	56.2	: :		
STATES		: !	:	LUCAL I	1 1				1	1 108 TRACTORS		103	; 5,105; 	06.2	283.5021	6 612:	
L S	WISCONSIN	8,329 !	124.9 70 78.3	ICOUNTIES & ITORNSHIPS :		24 :	- :	27	: 1	1 31 Teuche : 21 Teactone		132	2,6191	41.8	47,226:	2.6201	
CENTRAL	WINNEBOTA	6,246	124.0 to 54.4	ISTATE AND	101	63	18 :	56	5	: 107 Taucha : : 74 Taucha:	4	284 1	5,000:	45.5	664,0 3	7 000:	DATA C YERE STATE WORK ONLY.
	lows 5	3,470	: 121.2 TO 38.1	IBTATE AND :	14:	103	- :	13	6	1 245 TRUCKS 1 122 TRACTORS		345	6.650:	25 2	4 338:	501	TITAL COST INCLUDES COST OF SHOR FENCE AND LONGE EXACROTITURES FOR ESUIPMENT.
NORTH	Miseouri	3.376	6.7 70 34.2	STATE	20:	4 .	- 1	20	-	: 50 laucaa . : 40 laucaa .	30	20 :	1,2001	15.7	4 (+2	: 100 û,	Shop RINGLAL FURENCE RENTER 1926 of AAB NOT
Ž	NORTH DAKOTA	1,335	25.0 to 45.2	: ISTATE	- :	- :	- :	3	1	: 3 leactons:		1	2 500	37.4	20 000:		A sensous measure. Since new .AL DINE JENERALLY BITH HORSE
	BOJTH OAKOTA	2,447	18.7 70 97.7	I STATE AND	: :	25	1	14		: : 60 Teucka :	500	50	3,0001	46.7	1 200,000	3 :	DRAWN 26ADE69
				100041168	: :		:		1	: 50 TRACTORS:					:		SHOR REMOVAL BORN DONE BY D UNTILE UNDER STATE O STROLL
	NEBRABHA	2,320	4.0 to 72.4	18147E :	- 1	4 :	1:	10 1	-	185 Teacross	168	278 :	6,000:	36.9 :	28 170	6 0001	Total BY of Buce Ashoval enne succupse east of elete Owly.
	Kavgag	1,002	8.8 70 29.2	ISTATE AND I	151	25 :	60 :	25	-	1 30 Teuche 1 1 125 Teacrose:	1,200	125	9,1901	14.3	125,000;		THE EQUIPMENT ALSO INCOMES 1 LOCALLY-
	MONTANA	927	16.5 70 270.8	COUNTIES I	^	4	A :	A 1	я	•	4	4	n :	56.7			Show sewc. AL some come av Conties her,
	WYOMING I	929 1	9.2 10 219.7	STATE I	- :	1 :	- 3	1 :	-	t 10 Teuche I		5 :	100:	73 4 1	13 662		Dertwitz PROJEGN FOR BEAR N 1927-26 Way
	COLORADO S	3,489	12.8 vo 276.5	I I COUNTIES I	1 2	:		1 A 1	а	I TO IMACTORAL		100 :	4,312:	80.8	50 52 (4 450:	+ 08HwULATE0 ,
	NER MERICO I	:	5.3 to 138.4	: :	:	:	:	1		: :			1	27.6 :	· .		Orew elviss, LiffLE avon stalled ande bows
TES	MES MESICO I	1,685 :	5.3 10 138.9	I I		:	:	- :	-	:	- :	:		27.0			MAIN MANCE EQUIPMENT USED
WESTERN STATES	ARIZONA E	1,422 :	0.4 to 83.0	18747E 1	- 1	- :	4:	- :	-	20 Teactons :	20 :	- :	412:	14.9 ;	6 000	4121	
	UTAN	1.190	5.0 to 155.1	I STATE I	141	8 :	6:	1 1	- 1	12 Teucks : 12 Teucks : 12 Tekctors!		15 2	1.250;	51.2 :	47 0001	1 350	
	NEVADA :	1,013	0.6 *0 87.0	: : : : : : : : : : : : : : : : : : :	- 1	5 :	- 1	- 1	3	: 4 Teucra : 3 Teacross:	3 1	8.1	361	31 4 1	1,970)	541 1	TAMO ARCH STATE BRS+ ATA
	Iowo :	2,358 :	1.0 10 207.0	: : :	8:	1	3 :	8 :	12	I 34 TRUCKS I	16 :	2 1	659:	55.6	16 144.	8 51	
	WASHINGTON 1	2,607		: VTNUOO:	70:	1 1	7 :	5 1	2	12 Teactons: 1 140 Teuces 1	50 I	3 .	2,216:	58.6 1	44 990:	2 1351	
		:		COUNTIES :	:	:	:	:		14 Teactors:		:	1	:			LOCAL A THOMETERS GURANED 3 WELLS ST WOME
	Опевон	3,220 1	1.4 10 338.6	: 37A7E :	44:	- :	16 :	1 1	5	90 Teucra : 25 Teacross	50 :	9 :	1,133;	46.7 :	130,000		LOCAL A THOMITTEE CLEANED 3 WELES ST TOME NOT INCLUDED 1. DATA.
	CALIFORNIA :	3.538	1.0 vo 783.0	87+YE ARO :	7:	- !	8 :	- :	2	14 TAUGAS : 14 TRACTORS:	1.4	1 .	3(6)	10.8	RR 6 5	75	
	TOTAL :	111,756		! :	1,965:	961 :	236 1	684 1	149	4,365 TRUCAS 1	4,272	2.633 1	106.721.		\$4,641,037	117,109	
		1		1		- 1		-				mental 1	-		-		-

^{*} ASTERISE INDICATES INFORMATION NOT AVAILABLE. **A DOUBLE ASTERISE INDICATES DATA ERTIMATED.

MOTEL THE ABOVE DATA IS COMPILED FROM REPORTS BY THE STATES IN AMERICA TO QUESTIONNAISE SUBSTITED BY THE U. S. BURGAU OF PUBLIC ROATS. SUGRALL FIGURES COMPILED FROM . S. BEATHER SUBSTITED BY THE



